Journal of Physics F: Metal Physics

Volume 6, 1976

M.P.(F). 6/12—s

Volume 6
Pages L1–334, 1–2451
1976

Journal of
Physics F

Metal Physics

A Europhysics Journal
published by
The Institute of Physics
in association with
The Metals Society and
The Institution of Metallurgists

Copyright © 1976 by The Institute of Physics and individual contributors. All rights reserved. Multiple copying of the contents or parts thereof without permission is in breach of copyright, but permission is hereby given to copy titles and abstracts of papers and names of authors. Permission is usually given upon written application to the Institute to copy illustrations and short extracts from the text of individual contributions, provided that the source (and, where appropriate, the copyright) is acknowledged.

Bibliographic Codes
CODEN: JPFMAT 6 i–x L1–L334 1–2451 (1976)
ISSN: 0305–4608

Published by The Institute of Physics, 47 Belgrave Square, London SW1X 8QX, in conjunction with the American Institute of Physics.

Printed in Great Britain by A Wheaton & Co, Exeter. Set in 10/12 Times.

Journal of Physics F: Metal Physics

Honorary Editor

J L Beeby MA PhD

Deputy Editor

N E Cusack PhD FInstP

Editorial Board

Y Adda
K H Bennemann
L M Brown PhD
B L Eyre MSc AIM FInstP
D J Fabian PhD FInstP
F Garcia-Moliner FInstP
A R Mackintosh PhD
A Prince B Met FIM
J C Rivière MSc PhD FInstP
E F W Seymour MA D Phil FInstP
E P Wohlfarth DSc FInstP

Managing Editor (January–June)

D G Fisher PhD FInstP

Editorial Manager (July–December)

D S Robertson BSc

Staff Editor

S M Deeley MSc

Contents

NO 1 JANUARY 1976

LETTERS TO THE EDITOR

On a more exact treatment of the conduction electron potential in first principles calculations of lattice dynamics of metals — *F Sun, R Day, P H Cutler and Walter F King III* — L1

On the universal curve for resistivity in dilute magnetic alloys — *B Kozarzewski* — L7

Deviations from Matthiessen's rule due to vacancies in pure gold and gold–silver dilute alloys — *F Nakamura, K Ogasawara and J Takamura* — L11

Comments on RFSE in cylinders — *D R Baer* — L17

PAPERS

Low temperature specific heats in dilute Pd–H alloys — *U Mizutani, T B Massalski and J. Bevk* — 1

The low temperature heat capacities of Tb, Lu and Y — *P Wells, P C Lanchester, D W Jones and R G Jordan* — 11

The mechanisms of diffusion in the anomalous BCC metals — *G M Hood* — 19

Kinetics of interstitialcy diffusion in electron-irradiated Cu–Ni alloys — *R Poerschke and H Wollenberger* — 27

The magnetic properties of liquid transition metals and rare earth metals — *K H Bennemann* — 43

Electronic thermal resistivity of potassium and lithium — *F W Kus* — 59

The low-temperature resistivity of AlV and AlTi alloys — *E Babić, R Krsnik and M Očko* — 73

Transport properties of very pure copper and silver below 8·5K — *E R Rumbo* — 85

The flux lattice in a deformed type II superconductor — *C P Herring* — 99

Evaluation of an integral in the theory of fluctuation free energy in terms of Euler paths round a graph — *G P McCauley and D J Thouless* — 109

Dynamic EPR susceptibility for the 'ionic' approach to the Anderson model — *S E Barnes* — 115

Hyperfine interaction of scandium nuclei in gadolinium — *M G Colley, D H Chaplin, D E Swan and G V H Wilson* — 131

The optical absorption spectrum of gadolinium — *H P Myers* — 141

NO 2 FEBRUARY 1976

LETTERS TO THE EDITOR

Contribution of multi-ion interactions to vacancy formation energies for metals estimated using the asymptotic approximation — *G Mori* — L21

On the phonon dispersion in tungsten — *A R Jani and V B Gohel* — L25

Relation between the corner and central formulation of the MCPN(CSEM) method — *J Slechta* — L29

Optical phonons and density of states variations in Pd–H_x — *J C H Chiu and R A B Devine* — L33

Magnetoresistance of gadolinium — *R C Young, R G Jordan and D W Jones* — L37

sp–d hybridization effects on the electronic structure of the (100) surface in copper — *C M Bertoni, O Bisi, C Calandra, F Nizzoli and G Santoro* — L41

The nuclear spin–lattice relaxation time of dilute magnetic alloys — *M Ahmed* — L45

Kondo scattering in a pure metal—β cerium: I. Experimental — *K A Gschneidner Jr, P Burgardt, S Legvold, J O Moorman, T A Vyrostek and C Stassis* — L49

Kondo scattering in a pure metal—β cerium: II. Theoretical — *S H Liu, P Burghardt, K A Gschneidner Jr and S Legvold* — L55

The influence of ferromagnetism on the bulk, shear and Young's moduli of alloys — *E P Wohlfarth* — L59

PAPERS

Structures of liquid alloys of the Au–Si and Au–Ge systems
R M Waghorne, V G Rivlin and G I Williams 147
Phonon spectrum of beryllium at 80 K *R Stedman, Z Amilius, R Pauli and O Sundin* 157
The trapping of hydrogen in niobium by nitrogen interstitials *G Pfeiffer and H Wipf* 167
New empirical form factor for the alkali metals: sodium and potassium *M Kaveh* 181
The LMTO band method applied to V_3Ga *T Jarlborg and G Arbman* 189
de Haas–van Alphen study of conduction electron scattering and impurity screening for dilute Co impurities in Au *Y Chung and D H Lowndes* 199
Electrical conductivity of a two s–d band alloy model: effect of off-diagonal disorder
M Brauwers, A K Bhattacharya and F Brouers 209
The absence of critical concentration for ferromagnetism in disordered PdNi-type alloys
T Kato and J Mathon 221
Interaction between local magnetic moments in metals: I
G Malmström, D J W Geldart and C Blomberg 233
A Mössbauer study of the magnetic properties of CuFe alloys
S J Campbell, P E Clark and T J Hicks 249
Distribution of ^{57}Fe hyperfine fields in Ni–Mn alloys—a Mössbauer effect study
J Ray, G Chandra and C Bansal 265
Optical properties of Ta–W–Re alloys from 0·5 to 5 eV *L K Thomas and S Thurm* 279
Ultraviolet photoelectron spectra of the outer d bands of Ag–In and Ag–Cd alloys
J D Riley, R C G Leckey, J G Jenkin, J Liesegang and R T Poole 293

NO 3 MARCH 1976

LETTERS TO THE EDITOR

A method for handling long range oscillatory potentials in the study of planar defects
P Beauchamp L63
Electron–positron momentum distribution in cadmium: evidence for self-trapped positrons below the vacancy trapping region *S M Kim and W J L Buyers* L67
Friedel oscillations about an impurity near a metal surface *I D Moore* L71
The structural and magnetic properties of $Co_2Ga_{2-x}T_x$ alloys where T = V and Cr
R Cywinski and J G Booth L75
Resonance (ferromagnetic and paramagnetic) and antiresonance in $Gd_{0\cdot61}Y_{0\cdot39}$ crystal
M A Mojumder L79
Magnetoreflection of antimony for circularly polarized radiation
M H B Thomas, M G Priestley and D Hemming L83

PAPERS

Diaelastic modulus change of aluminium after low temperature electron irradiation
K-H Robrock and W Schilling 303
The Fermi surface of white tin using ultrasonic quantum oscillations
W A Roger, J A Rowlands and S B Woods 315
Ultrasonic quantum oscillations and the Fermi surface of lead *U M O Ivowi and L Mackinnon* 329
A computer simulation of thermodynamic properties of solid Na
S S Cohen, M L Klein, M S Duesbery and R Taylor 337
Absorption of Rayleigh waves in metals *K Scharnberg and B Kummer* 349
The de Haas–van Alphen effect in Kondo systems *E W Fenton* 363
Energy of formation for dilute alloys with transitional impurities
F Gautier, G Moraitis and J C Parlebas 381
Deviation from Matthiessen's rule in aluminium–zinc alloys
C Papastaikoudis, K Papathanasopoulous and E Rocofyllou 409
The electron–phonon mean free path in potassium: a comparative study of radio frequency size effect measurement techniques *M D Rosenthal and D K Wagner* 413

On the frequency-dependent electrical conductivity of dilute magnetic alloys at low temperatures
M Ahmed 419
Small angle critical neutron scattering and the onset of ferromagnetism in Au–Fe alloys
A P Murani, S Roth, P Radhakrishna, B D Rainford, B R Coles, K Ibel, G Goeltz and F Mezei 425
Temperature dependence of magnetic excitations in Pd_3Fe *T M Holden* 433
Study of Mössbauer spectroscopy of the series of perovskite carbides $M_3M'C$ with M = Fe or Mn and M′ = Al, Ga, Ge, Zn, Sn *F Grandjean and A Gérard* 451
The dependence of the photoassisted field emission on the dielectric functions *L E Hasselberg* 469

NO 4 APRIL 1976

LETTERS TO THE EDITOR

Application of the hard-sphere model to thermodynamic properties of liquid 3d transition metals
S Tamaki and Y Waseda L89
The influence of dissolved nitrogen on hydrogen diffusion in niobium studied by neutron spectroscopy *D Richter, J Töpler and T Springer* L93
A new Fourier series representation for the Fermi surface of the noble metals
B Bosacchi and P Franzosi L99
Surface plasmons in small Au–Ag alloy particles *G C Papavassiliou* L103
Tilted field radio frequency size effect measurements on copper *P B Johnson and R G Goodrich* L107
Theory for d electrons at the surface of disordered transition-metal alloys *G Kerker* L113
Effects of finiteness of the potential barrier height on the surface spin susceptibility of paramagnetic metals *J P Muscat* L117
Onset of magnetic order in the giant moment system PdCo *I Maartense and G Williams* L121
Many-electron structure in the XPS spectra of some transition metals and alloys
D Richardson and L A Hisscott L127

PAPERS

Vacancy formation energies and linear screening theory *R Evans and M W Finnis* 483
A positron annihilation study of the annealing of electron irradiated molybdenum
M Eldrup, O E Mogensen and J H Evans 499
Band theoretical study of the optical gap in expanded fluid mercury
H Overhof, H Uchtmann and F Hensel 523
Calculation of the phonon-limited ideal resistivity of potassium and sodium
R C Shukla and R Taylor 531
Measurements of electron lifetimes in silver–transition metal alloys *D Sang and A Myers* 545
Temperature dependence of the electrical resistivity of liquid gallium between its freezing point (29·75°C) and 752°C *M Pokorny and H U Åström* 559
On the surface states of Mo and W *M C Desjonquères and F Cyrot-Lackmann* 567
Pressure cell-boundary relation, Fermi levels and surface dipoles for transition metals
R M Nieminen and C H Hodges 573
Band model for magnetism of transition metals in the spin-density-functional formalism
O Gunnarsson 587
Theory of the spin wave stiffness constant in ferromagnetic transition metal alloys
D M Edwards and D J Hill 607
Critical pressure effects in PdNi alloys *J Beille and R Tournier* 621
Spin waves in FCC Ni–Fe alloys *K Mikke, J Jankowska and A Modrzejewski* 631
Quadrupole nuclear spin relaxation in liquid gallium alloys
G Cartledge, R L Havill and J M Titman 639

NO 5 MAY 1976

LETTERS TO THE EDITOR

Mean square vibration amplitudes in indium — *D W Field* L135

On the use of proper energy eigenvalues in first principles pseudopotential calculations of phonon spectra — *R S Day, F Sun, P H Cutler and W F King III* L137

Anisotropy of the electron–phonon scattering rate on the Fermi surface of indium — *A B M Hoff, D G de Groot and D L Randles* L141

Itinerant magnetism in NiV alloys around the critical concentration for ferromagnetism — *F Acker and R Huguenin* L147

The Knight shift and nuclear spin relaxation of ^{61}Ni metal in the paramagnetic phase — *P J Segransan, W G Clark, Y Chabre and G C Carter* L153

Correction of the expression for the electric field gradient in the theory of quadrupolar relaxation in liquid metals — *W Schirmacher* L157

A reply to 'Correction of the expression for the electric field gradient in the theory of quadrupolar relaxation in liquid metals' — *C A Sholl* L161

X ray spectroscopic study of some RCo_5 compounds — *P R Sarode and A R Chetal* L163

Application of the f-sum rule to UPS spectra in silver — *C Norris and G P Williams* L167

PAPERS

Third-order perturbation theory and structures of liquid metals: sodium and potassium — *M Hasegawa* 649

The formation energies of a vacancy in pure Cu, Cu–Si, Cu–Ga and Cu–γMn solid solutions by positron annihilation — *H Fukushima and M Doyama* 677

Adhesion between Al slabs and mechanical properties — *J E Inglesfield* 687

Some properties of AlSc solid solutions — *M Očko, E Babić, R Krsnik, E Girt and B Leontić* 703

Thermal expansion of BCC solid solution alloys in the system Zr–Nb–Mo–Re — *T F Smith and T R Finlayson* 709

Surface segregation in random alloys — *D Kumar, A Mookerjee and V Kumar* 725

Multi-band electronic structure of non-simple liquid and amorphous metals and their alloys — *F Yonezawa and F Martino* 739

Electron–electron pair correlation function in solid and molten nearly-free electron metals — *S Cusack, N H March, M Parrinello and M P Tosi* 749

Theory of the cohesive energy of simple metals — *R E McLaren* 767

The Fermi surface of the HCP Cu–Ge alloys containing 12–15 at% Ge studied by positron annihilation — *T Suzuki, M Hasegawa and M Hirabayashi* 779

Electronic structure of YMg cubic compound by the self-consistent SAPW method — *D Schmitt, J Pierre and M Belakhovsky* 789

A spherical cell model of cerium — *B N Cox and P Lloyd* 797

Microwave acoustic studies of the superconducting transition in aluminium — *K R Lyall, D J Meredith and E R Dobbs* 807

Crystalline electric fields in dilute alloys: Y–Er — *G Keller and J M Dixon* 819

Spin susceptibilities in the theory of itinerant-electron antiferromagnetism: II. Two-band incommensurate case — *W Young* 829

Electrical resistivity of ferromagnetic nickel and iron based alloys — *A Fert and I A Campbell* 849

Elastic constants of single crystal erbium — *P de V du Plessis* 873

Wavevector dependent susceptibility and dielectric function for paramagnetic nickel — *R Prasad, S Auluck and S K Joshi* 889

Soft x ray and photoelectron spectra of ordered and disordered Ni_3Fe alloys — *C F Hague, E Källne, J M Mariot, G Dufour, R C Karnatak and C Bonnelle* 899

Hamiltonian treatment of optical emission from irradiated metals — *A Marvin, A L Stella and F Toigo* 909

NO 6 JUNE 1976

LETTERS TO THE EDITOR

Formation energy of heterovalent alloys — *P F de Châtel and G G Robinson* — L173

Evidence for a 'dirty' limit in the resistivity of dilute gallium-based alloys — *J J Polick and R I Boughton* — L177

The electrical resistivity of bismuth: intervalley scattering — *K Anagnostopoulos and J E Aubrey* — L181

The temperature dependence of hyperfine fields in transition metals and alloys — *D M Edwards* — L185

On the asymmetry in the Kondo susceptibility — *S E Barnes* — L191

NMR and orbital moments on magnetic impurities in Pd — *Le Dang Khoi, P Veillet and I A Campbell* — L197

PAPERS

Partial structure factors and neutron scattering in compound-forming molten alloys — *A B Bhatia and V K Ratti* — 927

Anharmonic interference effects in potassium — *J Meyer, G Dolling, R Scherm and H R Glyde* — 943

The lattice distortion around the divacancy in cubic metals using the method of lattice statics — *S Yoshioki* — 957

Vacancy formation volumes in simple metals — *M W Finnis and M Sachdev* — 965

Trempes d'or sous hautes pressions d'hélium: Effet de la dissolution du gaz rare sur la mesure du volume de formation des lacunes — *M Charles, C Mairy, J Hillairet et V Lévy* — 979

Low dose damage rate of Al foils irradiated with α particles — *W Pfeiler, K Siebinger and L Trieb* — 985

Helicon–phonon interaction for oblique propagation in metals — *K S Viswanathan and R Sekhar* — 993

Inclusion of force constant and mass disorder in a self-consistent theory of phonons in high concentration alloys — *G Grünewald* — 999

Low temperature acoustic relaxation effect in FeNi and FePt invar alloys — *G Hausch* — 1015

Anomalous melting of f electron metals (with attention to Pu) — *E A Kmetko and H H Hill* — 1025

Thermodynamic properties of solid alloys: application to Mg_xCd_{1-x} — *C H Leung, M J Stott and W H Young* — 1039

A cluster description of a perfect crystal — *D B B Rijsenbrij and A Lodder* — 1053

Can positrons self-trap in metals? — *C H Leung, T McMullen and M J Stott* — 1063

Studies of the 4f states in lanthanum by means of electron and photon excited appearance potential spectroscopy — *J Kanski, P O Nilsson and I Curelaru* — 1073

Positron annihilation studies of the production of vacancies in copper — *P Rice-Evans, Tin Hlaing and D B Rees* — 1079

The effect of non-orthogonality and previously neglected diagonal terms in the tight-binding approximation for the electronic structure of liquid metals and alloys — *F Yonezawa, Y Ishida and F Martino* — 1091

An estimate of the effect of lattice relaxation on deviations from Matthiessen's rule in potassium — *B White, Z Popović, J P Carbotte and G R Piercy* — 1103

A simple formula for the low-field longitudinal magnetoresistance: application to experiments performed on copper — *J-M Welter, H J Fenzl and K Böning* — 1113

The electrical and magnetic properties of off-stoichiometry Gd–Pt Laves phase compounds — *R H Taylor, I R Harris and W E Gardner* — 1125

On calculating the electron–phonon mass enhancement λ for compounds — *B M Klein and D A Papaconstantopoulos* — 1135

Molecular field calculation of the magnetic structure in erbium — *J Jensen* — 1145

Volume magnetostriction in Ni, Al and Ni–Pt alloys and its interpretation in the band model of magnetism — *T F M Kortekaas and J J M Franse* — 1161

Nuclear magnetic resonance of aluminium in intermetallic compounds of Ni-rich β-AlNi — *J M Brettell and W S Hinshaw* — 1177

NMR of ^{59}Co in amorphous CoP alloys — *J Durand and M F Lapierre* — 1185

^{63}Cu spin-lattice relaxation in Cu-based dilute magnetic alloys at low field — *P Bernier and H Alloul* — 1193

Optical studies of dilute AuNi alloys — *M Bassett and D Beaglehole* — 1211

Optical properties of metallic calcium — *O Hunderi* — 1223

Corrigendum — *K G E Brenner and O K Demel* — 1231

NO 7 JULY 1976

LETTERS TO THE EDITOR

Comment on 'On a more exact treatment of the conduction electron potential in first principles calculations of lattice dynamics of metals' — *J Hafner* L201

Hydrogen chemisorption energy on the stepped (111) nickel surface — *K Ždánsky and Z Šroubek* L205

Impurity density of states of dilute CuNi alloys — *A B Kaïser and P W Gilberd* L209

Superconductivity and electronic density of states — *R C Dynes and C M Varma* L215

Negative hyperfine field at Cd impurity sites in the Heusler alloy Pd_2MnSb — *C C M Campbell and J A Cameron* L221

PAPERS

Solubilities of rare gases in liquid sodium and Faber's formula for vacancy formation energies — *S Fukase and T Satoh* 1233

Structural, thermochemical and thermomechanical properties of binary alloys — *J Hafner* 1243

Helium heat of solution in Al and Mg using non-linear self-consistent screening of the nucleus — *M D Whitmore* 1259

The model potential for Zn and Cd — *V Bortolani and G Giunchi* 1269

Charge transfer and ordering energy in a model binary alloy — *J Giner, F Brouers, F Gautier and J van der Rest* 1281

g-factor measurements in antimony by the de Haas–van Alphen effect — *Z Altounian and W R Datars* 1297

Electrical resistivity studies of the magnetic character of Rh–Co alloys — *A Tari* 1313

Deviations from Matthiessen's rule at low temperatures in PtTi alloys — *S Ho, G Williams and J O Ström-Olsen* 1325

Temperature and strain effect on electrical resistivity of transition metal alloys: application to strain gauges — *M Brauwers and F Brouers* 1331

A phenomenological theory of disordered ferromagnetic PdNi-type alloys — *T Kato and J Mathon* 1341

Some comments on the theory of spin glasses — *H Müske and G Heber* 1353

Magnetic properties, magnetic structure and crystal field in equiatomic rare earth–magnesium compounds — *R Aleonard, P Morin, J Pierre and D Schmitt* 1361

New method for the Anderson model — *S E Barnes* 1375

A calculation of the electronic structure of an impurity atom of a non-transition element in ferromagnetic iron — *K Terakura* 1385

Electron spin resonance of $Gd_{1-x}Dy_xAl_2$ — *Thân-Trong Nguyên, L B Chiu, P R Elliston, A M Stewart and K N R Taylor* 1399

NO 8 AUGUST 1976

LETTERS TO THE EDITOR

The static structure factor of liquid caesium — *M J Huijben and W van der Lugt* L225

Free electron calculation of the surface magnetization of paramagnetic metals — *J P Muscat* L231

Corrigendum — *J J Polick and R I Boughton* L235

PAPERS

The formation and migration energies of vacancies in quenched copper — *R R Bourassa and B Lengeler* 1405

The effect of isotopic mass on the velocity of sound in liquid Li — *S P McAlister, E D Crozier and J F Cochran* 1415

Phonon frequencies of lithium from a local effective potential — *J P Perdew and S H Vosko* 1421

On the observed positron effective mass in alkali metals — *M Hasegawa* 1433

Alloy-analogy treatment of valence transition in rare-earth systems
S K Ghatak, M Avignon and K H Bennemann 1441
A pseudopotential model for indium *P M Holtham* 1457
Dilute indium alloys: Measurement and calculation of Fermi surface changes
P M Holtham and D Parsons 1481
Self-consistency in calculations of the electronic bandstructure and the lattice dynamics of metals
P Kay and J A Reissland 1503
Negative temperature coefficients of electrical resistivity: the divalent liquid metals Eu, Yb and Ba *H-J Güntherodt, E Hauser, H U Künzi, R Evans, J Evers and E Kaldis* 1513
Low-field Hall coefficient of zinc and cadmium *I Shiozaki* 1523
Charge transfer: an alternative way to describe the superconducting properties of the A-15 structure
G H Bongi 1535
Etude par ultrasons des propriétés du gallium supraconducteur *D Morisseau* 1553
Magnetic properties of Be_xFe_{1-x} compounds near to Be_2Fe *R Jesser and I Vincze* 1567
CESR observations using an amplitude-modulated microwave field
B Vigouroux, J C Gourdon and J Pescia 1575
Temperature dependence of the optical properties of Au, Ag and Cu
P Winsemius, F F van Kampen, H P Lengkeek and C G van Went 1583
Appearance potential spectroscopy studies with Fe/Ni alloys *K Wandelt and G Ertl* 1607

NO 9 SEPTEMBER 1976

LETTERS TO THE EDITOR

Diffraction of He and H_2 molecular beams from a low temperature metal surface
G Boato, P Cantini and R Tatarek L237
Magnetic and cohesive properties from canonical bands
U K Poulsen, J Kollár and O K Andersen L241
Possible phase change in paramagnetic $ZrZn_2$ *G Dublon and M Weger* L249
Hopping conduction in disordered systems *A ten Bosch* L253
Directional photoemission from (100), (110) and (111) faces of nickel
P Heimann and H Neddermeyer L257
Photoemission measurements of liquid bismuth *C Norris and J T M Wotherspoon* L263

PAPERS

Thermodynamics of point defects in dilute alloys: far-from-random distributions in an exactly solvable model *P A Bleasdale and J W Martin* 1617
Irradiation-induced displacement of Ag atoms from lattice sites in an Al–0·2% Mg–0·1% Ag crystal
M L Swanson, L M Howe and A F Quenneville 1629
Effect of correlation on the bandstructure of zirconium
K Iyakutti, C K Majumdar, R S Rao and V Devanathan 1639
The ionic structure and the electronic potential of metal surfaces *C Tejedor and F Flores* 1647
Specific heat in an inhomogeneous superconducting film *E Šimánek* 1661
Calculation of thermal conductivity produced by the proximity effect *J Bar-Sagi* 1669
The theory of the effect of anisotropic scattering by impurities on the electromagnetic response of superconductors *G J Thackray and G Rickayzen* 1679
Experimental test of proximity effect theories by surface impedance measurements on the Pb–Sn system *J R Hook and J A Battilana* 1689
Coherent potential approximation for partially ordered alloys *A Z Maksymowicz* 1705
The Kondo effect in the dynamics of localized moments in metals *S E Barnes* 1713
Effective number of conduction electrons in antiferromagnetic metals near T_N *M Ausloos* 1723
The specific heats of Ho, HoAg and LaAg from 0·8 to 4 K *R W Hill, J Cosier and D A Hukin* 1731

NO 10 OCTOBER 1976

LETTERS TO THE EDITOR

The temperature dependence of positron lifetimes in cadmium *K P Singh and R N West* L267
Correction to a previous pseudopotential calculation of the elastic constants of sodium *S S Cohen, M L Klein, M S Duesbery and R Taylor* L271
Anisotropic spin-flip scattering in a AuFe monocrystal *J E A Alderson, S P McAlister and C M Hurd* L275
The Hall coefficient for isotropic electron scattering *D Greig, G M Lawson, M F Martin and L K E Morris* L281
Pressure dependence of the resistivity of MoFe—a spin glass *P J Ford and J S Schilling* L285
The quasi-two-dimensional character of ferromagnetism in face centred cubic transition metals *D M Edwards* L289

PAPERS

Perturbative calculations of vacancy formation energies for metals—contribution from the third-order term *S Yoshioki and G Mori* 1743
The determination of the force-dipole tensor of hydrogen in niobium *M A Pick and R Bausch* 1751
The ultrasonic attenuation coefficient and the nuclear spin relaxation rate for a magnetically doped superconductor *R C Shukla and A D S Nagi* 1765
Third-order perturbation theory and exchange and correlation in the lattice dynamics of indium *D G Garrett and J C Swihart* 1781
Increased phonon broadening of XPS lines of metals due to finite core-hole lifetime *Petter Minnhagen* 1789
The resonant model potential form factor: general theory and application to copper, silver and calcium *L Dagens* 1801
Harmonic model potential for simple metals *P L Srivastava and R N Singh* 1819
De Haas–van Alphen effect in alkali metal dispersions and the Fermi surface of lithium *D L Randles and M Springford* 1827
Positron annihilation study of ordering in CuAu *H Fukushima, J Sugiura and M Doyama* 1845
Anisotropy correction to the electrical resistivity of ideally pure potassium *C R Leavens and M J Laubitz* 1851
Influence of Fermi surface and defect structure on the low-field galvanomagnetic properties of Al *W Kesternich, H Ullmaier and W Schilling* 1867
Electron–impurity scattering in dilute alloys with lattice distortion: I. General theory *A Lodder* 1885
Mode Grüneisen parameters in potassium: I *J Meyer, G Dolling, J Kalus, C Vettier and J Paureau* 1899
Mode Grüneisen parameters in potassium: II *R Taylor and H R Glyde* 1915
The ground state of a spin glass *S F Edwards* 1923
Theory of spin glasses: II *S F Edwards and P W Anderson* 1927
Screening of non-transition element impurities in iron *C M Sayers* 1939
Interaction between local magnetic moments in metals: II *G Malmström, D J W Geldart and C Blomberg* 1953
Critical behaviour in the transport properties of pure iron *M D Lanchbury and N H Saunders* 1967
Electron spin resonance of Gd in metallic Van-Vleck beryllides *J M Bloch, D Davidov, I Felner and D Shaltiel* 1979
Theory of electric field gradients in metals *K W Lodge* 1989
Perturbed angular correlation of ^{111}Cd in liquid In–Bi alloys *S Tamaki, Y Tsuchiya, A Furusawa and H Okazaki* 2009
A Mössbauer study of magnetic order in HCP iron–ruthenium alloys *J D Rush, C E Johnson and M F Thomas* 2017
The optical absorption spectrum of lithium metal *H P Myers and P Sixtensson* 2023

Corrigendum *H Fukushima and M Doyama* 2037

NO 11 NOVEMBER 1976

LETTERS TO THE EDITOR

Normalization of the single OPW conduction electron states in first principles pseudopotential calculations of phonon spectra *R S Day, F Sun and P H Cutler* L297
The electrical resistivity of bismuth: electron–hole scattering *C A Kukkonen and P F Maldague* L301
On the spin wave exchange stiffness constant in ferromagnetic transition metal alloys *M Hennion, B Hennion, M Nauciel-Bloch and R Riedinger* L303
Measurements of the anisotropy constants K_3 and K_1 for nickel and a dilute nickel–vanadium alloy *J Amighian and W D Corner* L309

PAPERS

Generalized perturbation theory in disordered transitional alloys: Application to the calculation of ordering energies *F Ducastelle and F Gautier* 2039
Perturbation series for the critical behaviour of type II superconductors near H_{c2} *G J Ruggeri and D J Thouless* 2063
A relation between the CPA and CSEM methods *J Slechta* 2081
Energy bands of LaAg: Applications to magnetic and electronic properties and martensitic transformation *C Tannous, D K Ray and M Belakhovsky* 2091
Electrical resistivity of dilute magnetic α-phase Cu–Al(Fe) alloys: charge screening of Al ions in a Cu host *J S Schilling and J Crone* 2097
Magnetic and resistive behaviour of a superconducting Nb–54 at% Ta cylinder *W E Timms and D G Walmsley* 2107
Susceptibility maximum and Fermi-liquid effect in 4d and 5d transition metals *S Misawa and K Kanematsu* 2119
The electric field gradient produced in iron by trigonal and tetragonal distortions *T E Cranshaw and R C Mercader* 2129
The influence of Frenkel defects on the anomalous resistivity and thermopower of dilute CuCr alloys *G Wehr, G Sieber and K Böning* 2133
Single impurity behaviour and interaction effects in the magnetic susceptibility of AlMn and AlCr alloys *J R Cooper and M Miljak* 2151
Magnetic properties of hexagonal and cubic Fe_3Ge *J W Drijver, S G Sinnema and F van der Woude* 2165
The magnetic structure of Tb–Tm alloys studied by neutron diffraction *P Hansen and B Lebech* 2179
Mossbauer determination of the gold hyperfine field in the Heulser alloy Au_2MnAl *W Leiper, C Blaauw, G R Mackay and F W D Woodhams* 2191

NO 12 DECEMBER 1976

LETTERS TO THE EDITOR

Anisotropy and temperature dependence of electron–phonon mass enhancement in zinc *G S Singh, S Auluck and S K Joshi* L313
Monte Carlo calculation of the pair correlation function of liquid aluminium with a pseudopotential satisfying the compressibility sum rule *E Michler, H Hahn and P Schofield* L319
On the strength of the positron–phonon interaction in metals *T McMullen* L323
Internal field distribution for spin glass *T Plefka* L327
Mössbauer studies of hydrided TiFe *L J Swartzendruber, L H Bennett and R E Watson* L331

PAPERS

Huang diffuse scattering of x rays from the displacement field of hydrogen in niobium *H Metzger, J Peisl and J Wanagel* 2195
Impurity–interstitial interaction in electron-irradiated aluminium *F Dworschak, Th Monsau and H Wollenberger* 2207

The '50 K' transition in palladium–hydrogen alloys: I. Internal friction
J K Jacobs, C R Brown, V S Pavlov and F D Manchester 2219
Volume and temperature dependence of the phonon frequencies of cubic metals
M Kaveh and Z Swiatlo 2233
Observations on the martensitic transition in sodium *R Stedman* 2239
The coherent pseudopotential approximation *V Drchal and J Kudrnovský* 2247
Energy of formation of binary transitional alloys *M Cyrot and F Cyrot-Lackmann* 2257
Further analysis of effective medium approximation for a tight-binding model of a liquid metal
L M Roth 2267
Cyclotron effective masses in white tin *W A Roger and S B Woods* 2289
Many-body effects in transition metals: role of the density of states
G K Wertheim and L R Walker 2297
TDPAC studies of ^{111}Cd in InBi and In_2Bi *S A Lis and R A Naumann* 2307
Low temperature electron-diffusion magnetothermopower of aluminium: I. Experiment
B J Thaler and J Bass 2315
Low temperature electron-diffusion magnetothermopower of aluminium: II. Theory
J L Opsal and D K Wagner 2323
The electrical conductivity of very thin metal films *D Gottlieb and V Halpern* 2333
Comparison of resonance and tight-binding description of the electron–phonon coupling in transition metals *A Birnboim and H Gutfreund* 2341
The Josephson tunnel effect in superconducting alloys described by the Anderson model
A D S Nagi and U N Upadhyaya 2353
AC susceptibility of the exchange enhanced system Co in ($Pd_{95}Rh_5$) *I Maartense and G Williams* 2363
On the occurrence of spin glass and mictomagnetic regimes in a transition binary system: the MoFe system *A Amamou, R Caudron, P Costa, J M Friedt, F Gautier and B Loegel* 2371
Effects of strain on orbital magnetic and spin paramagnetic susceptibilities in metals
Y Takahashi, S Kamiguchi and M Shimizu 2389
The single-Q state of chromium *E W Fenton* 2403
A new interpretation for nuclear magnetic relaxation data of a nickel-based alloys
B Chornik, M Kiwi and M J Zuckermann 2419

SUBJECT INDEX 2425
AUTHOR INDEX (with titles) 2441

Subject index

The 1976 Subject Index is based upon the Physics Abstracts Classification scheme; articles are listed, as appropriate, under one or more of the following headings:

7.000 CONDENSED MATTER: STRUCTURE, THERMAL AND MECHANICAL PROPERTIES
7.100 STRUCTURE OF LIQUIDS AND SOLIDS: CRYSTALLOGRAPHY
7.110 Techniques for structure determination
7.112 *X ray diffraction and scattering*
7.114 *Neutron diffraction and scattering*
7.120 Liquids
7.150 Crystalline state
7.160 Defects in crystals
7.162 *Point defects*
7.170 Crystal impurities
7.180 Radiation damage and other irradiation effects
7.200 MECHANICAL AND ACOUSTIC PROPERTIES
7.220 Mechanical properties of solids
7.240 Anelasticity, internal friction, mechanical resonances
7.250 Acoustic properties of liquids
7.260 Acoustic properties of solids
7.300 LATTICE DYNAMICS
7.320 General theory
7.340 Phonons and vibrations in crystal lattices
7.400 EQUATIONS OF STATE, PHASE EQUILIBRIA, PHASE TRANSITIONS
7.500 THERMAL PROPERTIES OF SOLIDS
7.540 Heat capacities of solids
7.560 Thermodynamic properties: entropy
7.600 TRANSPORT PROPERTIES (NON ELECTRONIC)
7.630 Diffusion in solids
7.800 SURFACES AND INTERFACES; THIN FILMS AND WHISKERS

8.000 CONDENSED MATTER: ELECTRICAL, MAGNETIC AND OPTICAL PROPERTIES
8.100 ELECTRON STATES
8.110 General theories and computational techniques
8.120 Electronic density of states determinations
8.130 Nonlocalized, single particle electronic states
8.132 *Electron energy states in liquid metals and alloys*
8.136 *Bandstructure and Fermi surface of solid metals and alloys*
8.140 Localized electron states
8.160 Impurity and defect levels: positron states
8.170 Polarons, excitons and other excitations
8.200 ELECTRICAL TRANSPORT
8.210 Electronic conduction in metals and alloys
8.212 *Electrical and thermal conduction in crystalline metals*
8.214 *Electrical and thermal conduction in amorphous and liquid metals and alloys*
8.216 *Galvanomagnetic and thermoelectric effects*
8.218 *Relaxation times and mean free paths*
8.230 High frequency effects
8.300 ELECTRICAL PROPERTIES OF SURFACES, INTERFACES AND THIN FILMS
8.320 Surfaces
8.360 Thin films
8.400 SUPERCONDUCTIVITY
8.410 General theory
8.420 Equilibrium properties
8.430 Nonequilibrium and transport properties
8.440 Tunnelling and coupled superconductors
8.500 MAGNETIC PROPERTIES AND MATERIALS
8.510 General theory and models of magnetic ordering
8.520 Diamagnetism and paramagnetism
8.524 *Metals and alloys*
8.526 *Local moments in dilute alloys, Kondo effect*
8.530 Magnetically ordered materials, intrinsic properties
8.531 *Saturation moments and magnetic susceptibility*
8.533 *Magnetic impurity interactions*
8.534 *Critical point effects, specific heats, short range order, magnetic transitions*
8.535 *Spin arrangements*
8.536 *Spin waves*
8.537 *Anisotropy*
8.540 Studies of specific magnetic materials
8.550 Domain effects, magnetization curves, hysteresis
8.570 Magnetomechanical effects, magnetostriction
8.600 MAGNETIC RESONANCE AND RELAXATION, MÖSSBAUER EFFECT
8.630 Electron spin resonance and relaxation

8.650 Ferromagnetic, antiferromagnetic and ferrimagnetic resonances: spin wave resonance
8.660 Nuclear magnetic resonance and relaxation
8.662 *Chemical and Knight shifts*
8.664 *Relaxation effects*
8.666 *Quadrupole resonances*
8.680 Mössbauer effect; other γ ray spectroscopy
8.800 OPTICAL PROPERTIES AND CONDENSED MATTER SPECTROSCOPY
8.810 Optical properties and materials
8.820 Optical spectra
8.850 Other spectra and interactions between radiation and matter
8.860 Optical properties of thin films
8.900 ELECTRON AND ION EMISSION BY LIQUIDS AND SOLIDS AND IMPACT PHENOMENA
8.960 Photoemission
8.980 Other emission

7.000 CONDENSED MATTER: STRUCTURE, THERMAL AND MECHANICAL PROPERTIES

7.100 STRUCTURE OF LIQUIDS AND ALLOYS: CRYSTALLOGRAPHY

7.110 Techniques for structure determination

7.112 X ray diffraction and scattering

Mean square vibration amplitudes in indium *D W Field* FL135

Structure of liquid alloys of the Au–Si and Au–Ge systems *R M Waghorne, V G Rivlin and G I Williams* F147

Huang diffuse scattering of x rays from the displacement field of hydrogen in niobium *H Metzger, J Peisl and J Wanagel* F2195

Observations on the martensitic transition in sodium *R Stedman* F2239

7.114 Neutron diffraction and scattering

The structural and magnetic properties of $Co_2Ga_{2-x}T_x$ alloys where T = V and Cr *R Cywinski and J G Booth* FL75

The influence of dissolved nitrogen on hydrogen diffusion in niobium studied by neutron spectroscopy *D Richter, J Töpler and T Springer* FL93

Temperature dependence of magnetic excitations in Pd_3 Fe *T M Holden* F433

Partial structure factors and neutron scattering in compound-forming molten alloys *A B Bhatia and V K Ratti* F927

Anharmonic interference effects in potassium *J Meyer, G Dolling, R Scherm and H R Glyde* F943

Magnetic properties, magnetic structure and crystal field in equiatomic rare earth–magnesium compounds *R Aleonard, P Morin, J Pierre and D Schmitt* F1361

The magnetic structure of Tb–Tm alloys studied by neutron diffraction *P Hansen and B Lebech* F2179

7.120 Liquids

The static structure factor of liquid caesium *M J Huijben and W van der Lugt* FL225

Structure of liquid alloys of the Au–Si and Au–Ge systems *R M Waghorne, V G Rivlin and G I Williams* F147

Third-order perturbation theory and structures of liquid metals: sodium and potassium *M Hasegawa* F649

Solubilities of rare gases in liquid sodium and Faber's formula for vacancy formation energies *S Fukase and T Satoh* F1233

7.150 Crystalline state

Surface segregation in random alloys *D Kumar, A Mookerjee and V Kumar* F725

Partial structure factors and neutron scattering in compound-forming molten alloys *A B Bhatia and V K Ratti* F927

Structural, thermochemical and thermomechanical properties of binary alloys *J Hafner* F1243

7.160 Defects in crystals

7.162 Point defects

Contribution of multi-ion interactions to vacancy formation energies for metals estimated using the asymptotic approximation *G Mori* FL21

The trapping of hydrogen in niobium by nitrogen interstitials *G Pfeiffer and H Wipf* F167

Vacancy formation energies and linear screening theory *R Evans and M W Finnis* F483

A positron annihilation study of the annealing of electron irradiated molybdenum *M Eldrup, O E Mogensen and J H Evans* F499

The formation energies of a vacancy in pure Cu, Cu–Si, Cu–Ga and Cu–γMn solid solutions by positron annihilation *H Fukushima and M Doyama* F677

The lattice distortion around the divacancy in cubic metals using the method of lattice statics *S Yoshioki* F957

Vacancy formation volumes in simple metals *M W Finnis and M Sachdev* F965

Trempes d'or sous hautes pressions d'hélium: Effet de la dissolution du gaz rare sur la mesure du volume de formation des lacunes (The quenching of gold under high helium pressures: Effect of the dissolution of the rare gas on the determination of the formation volume of vacancies) *M Charles, C Mairy, J Hillairet et V Lévy* F979

Positron annihilation studies of the production of vacancies in copper *P Rice-Evans, Tin Hlaing and D B Rees* F1079

The formation and migration energies of vacancies in quenched copper *R R Bourassa and B Lengeler* F1405

Thermodynamics of point defects in dilute alloys: far-from-random distributions in an exactly solvable model *P A Bleasdale and J W Martin* F1617
Perturbative calculations of vacancy formation energies for metals—contribution from the third-order term *S Yoshioki and G Mori* F1742
The determination of the force–dipole tensor of hydrogen in niobium *M A Pick and R Bausch* F1751
The formation energies of a vacancy in pure Cu, Cu–Si, Cu–Ga and Cu–γ Mn solid solutions by positron annhilation (corrigendum) *H Fukushima and M Doyama* F2037
Huang diffuse scattering of x rays from the displacement field of hydrogen in niobium *H Metzger, J Peisl and J Wanagel* F2195
Impurity–interstitial interaction in electron-irradiated aluminium *F Dworschak, Th Monsau and H Wollenberger* F2207

7.170 Crystal impurities

The trapping of hydrogen in niobium by nitrogen interstitials *G Pfeiffer and H Wipf* F167
Helium heat of solution in Al and Mg using non-linear self-consistent screening of the nucleus *M D Whitmore* F1259
The determination of the force–dipole tensor of hydrogen in niobium *M A Pick and R Bausch* F1751
Impurity–interstitial interaction in electron-irradiated aluminium *F Dworschak, Th Monsau and H Wollenberger* F2207

7.180 Radiation damage and other irradiation effects

The temperature dependence of positron lifetimes in cadmium *K P Singh and R N West* FL267
Kinetics of interstitialcy diffusion in electron-irradiated Cu–Ni alloys *R Poerschke and H Wollenberger* F27
A positron annihilation study of the annealing of electron-irradiated molybdenum *M Eldrup, O E Mogensen and J H Evans* F499
Hamiltonian treatment of optical emission from irradiated metals *A Marvin, A L Stella and F Toigo* F909
Low dose damage rate of Al foils irradiated with α particles *W Pfeiler, K Siebinger and L Trieb* F985
Irradiation-induced displacement of Ag atoms from lattice sites in an Al–0·2% Mg–0·1% Ag crystal *M L Swanson, L M Howe and A F Quenneville* F1629
Effect of correlation on the bandstructure of zirconium *K Iyakutti, C K Majumdar, R S Rao and V Devanthan* F1639
The influence of Frenkel defects on the anomalous resistivity and thermopower of dilute CuCr alloys *G Wehr, G Sieber and K Böning* F2133
Impurity–interstitial interaction in electron-irradiated aluminium *F Dworschak, Th Monsau and H Wollenberger* F2207

7.200 MECHANICAL AND ACOUSTIC PROPERTIES

7.220 Mechanical properties of solids

The influence of ferromagnetism on the bulk shear and Young's moduli of alloys *E P Wohlfarth* FL59
Adhesion between Al slabs and mechanical properties *J E Inglesfield* F687
Some properties of AlSc solid solutions *M Očko, E Babić, R Krsnik, E Girt and B Leontić* F703
Thermal expansion of BCC solid solution alloys in the system Zr–Nb–Mo–Re *T F Smith and T R Finlayson* F709
Elastic constants of single crystal erbium *P de V du Plessis* F873
Structural, thermochemical and thermomechanical properties of binary alloys *J Hafner* F1243

7.240 Anelasticity, internal friction, mechanical resonances

Diaelastic modulus change of aluminum after low temperature electron irradiation *K-H Robrock and W Schilling* F303
The '50 K' transition in palladium–hydrogen alloys: I. Internal friction *J K Jacobs, C R Brown, V S Pavlov and F D Manchester* F2219

7.250 Acoustic properties of liquids

The effect of isotopic mass on the velocity of sound in liquid Li *S P McAlister, E D Crozier and J F Cochran* F1415

7.260 Acoustic properties of solids

Low temperature acoustic relaxation effect in FeNi and FePt invar alloys *G Hausch* F1015

7.270 Ultrasonic absorption

The Fermi surface of white tin using ultrasonic quantum oscillations *W A Roger, J A Rowlands and S B Woods* F315

Ultrasonic quantum oscillations and the Fermi surface of lead *U M O Ivowi and L Mackinnon* F 329

Microwave acoustic studies of the superconducting transition in aluminium *K R Lyall, D J Meredith and E R Dobbs* F807

The ultrasonic attenuation coefficient and the nuclear spin relaxation rate for a magnetically doped superconductor *R C Shukla and A D S Nagi* F1765

Cyclotron effective masses in white tin *W A Roger and S B Woods* F2289

7.300 LATTICE DYNAMICS

7.320 General theory

On the use of proper energy eigenvalues in first principles pseudopotential calculations of phonon spectra *R S Day, F Sun, P H Cutler and W F King III* FL137

Normalization of the single OPW conduction electron states in first principles pseudopotential calculations of phonon spectra *R S Day, F Sun and P H Cutler* FL297

Phonon frequencies of lithium from a local effective potential *J P Perdew and S H Vosko* F1421

Third-order perturbation theory and exchange and correlation in the lattice dynamics of indium *D G Garrett and J C Swihart* F1781

Volume and temperature dependence of the phonon frequencies of cubic metals *M Kaveh and Z Swiatlo* F2233

7.340 Phonons and vibrations in crystal lattices

On a more exact treatment of the conduction electron potential in first principles calculations of lattice dynamics of metals *F Sun, R Day, P H Cutler and W F King III* FL1

On the phonon dispersion in tungsten *A R Jani and V B Gohel* FL25

Mean square vibration amplitudes in indium *D W Field* FL135

On the use of proper energy eigenvalues in first principles pseudopotential calculations of phonon spectra *R S Day, F Sun, P H Cutler and W F King III* FL137

Comment on 'On a more exact treatment of the conduction electron potential in first principles calculations of lattice dynamics of metals' *J Hafner* FL201

Normalization of the single OPW conduction electron states in first principles pseudopotential calculations of phonon spectra *R S Day, F Sun and P H Cutler* FL297

Anisotropy and temperature dependence of electron–phonon mass enhancement in zinc *G S Singh, S Auluck and S K Joshi* FL313

Phonon spectrum of beryllium at 80 K *R Stedman, Z Amilius, R Pauli and O Sundin* F157

Microwave acoustic studies of the superconducting transition in aluminium *K R Lyall, D J Meredith and E R Dobbs* F807

Helicon–phonon interaction for oblique propagation in metals *K S Viswanathan and R Sekhar* F993

Inclusion of force constant and mass disorder in a self-consistent theory of phonons in high concentration alloys *G Grünewald* F999

Low temperature acoustic relaxation effect in FeNi and FePt invar alloys *G Hausch* F1015

Self-consistency in calculations of the electronic bandstructure and the lattice dynamics of metals *P Kay and J A Reissland* F1503

Increased phonon broadening of XPS lines of metals due to finite core-hole lifetime *P Minnhagen* F1789

7.400 EQUATIONS OF STATE, PHASE EQUILIBRIA, PHASE TRANSITIONS

Magnetic and cohesive properties from canonical bands *U K Poulsen, J Kollár and O K Andersen* FL241

Anomalous melting of f electron metals (with attention to Pu) *E A Kmetko and H H Hill* F1025

Structural, thermochemical and thermomechanical properties of binary alloys *J Hafner* F1243

The '50 K' transition in palladium–hydrogen alloys: I. Internal friction *J K Jacobs, C R Brown, V S Pavlov and F D Manchester* F2219

Observations on the martensitic transition in sodium *R Stedman* F2239

7.500 THERMAL PROPERTIES OF SOLIDS

7.540 Heat capacities of solids

Low temperature specific heats in dilute Pd–H alloys *U Mizutani, T B Massalski and J Bevk* F1

The low-temperature heat capacities of Tb, Lu and Y *P Wells, P C Lanchester, D W Jones and R G Jordan* F11
Thermal expansion of BCC solid solution alloys in the system Zr–Nb–Mo–Re *T F Smith and T R Finlayson* F709
Specific heat in an inhomogeneous superconducting film *E Šimánek* F1661
On the occurrence of spin glass and mictomagnetic regimes in a transition binary system: the MoFe system *A Amamou, R Caudron, P Costa, J M Friedt, F Gautier and B Loegel* F2371

7.560 Thermodynamic properties: entropy

Application of the hard-sphere model to thermodynamic properties of liquid 3d transition metals *S Tamaki and Y Waseda* FL89
Correction to a previous pseudopotential calculation of the elastic constants of sodium *S S Cohen, M L Klein, M S Duesbery and R Taylor* FL271
A computer simulation of thermodynamic properties of solid Na *S S Cohen, M L Klein, M S Duesbery and R Taylor* F337
Can positrons self-trap in metals? *C H Leung, T McMullen and M J Stott* F1063
Thermodynamic properties of solid alloys: application to Mg_xCd_{1-x} *C H Leung, M J Stott and W H Young* F1039

7.600 TRANSPORT PROPERTIES (NON-ELECTRONIC)

7.630 Diffusion in solids

The influence of dissolved nitrogen on hydrogen diffusion in niobium studied by neutron spectroscopy *D Richter, J Töpler and T Springer* FL93
The mechanisms of diffusion in the anomalous BCC metals *G M Hood* F19
Kinetics of interstitialcy diffusion in electron-irradiated Cu–Ni alloys *R Poerschke and H Wollenberger* F27
The trapping of hydrogen in niobium by nitrogen interstitials *G Pfeiffer and H Wipf* F167

7.800 SURFACES AND INTERFACES: THIN FILMS AND WHISKERS

Hydrogen chemisorption energy on the stepped (111) nickel surface *K Žďánský and Z Šroubek* FL 205
Diffraction of He and H_2 molecular beams from a low temperature metal surface *G Boato, P Cantini and R Tatarek* FL237
Absorption of Rayleigh waves in metals *K Scharnberg and B Kummer* F349
Surface segregation in random alloys *D Kumar, A Mookerjee and V Kumar* F725
Anharmonic interference effects in potassium *J Meyer, G Dolling, R Scherm and H R Glyde* F943
Porous surface layers resulting from evaporation of zinc in α-Ag–Zn solid solutions (corrigendum to 1975 paper) *K G E Brenner, and O K Demel* F1231

8.000 CONDENSED MATTER: ELECTRICAL, MAGNETIC AND OPTICAL PROPERTIES

8.100 ELECTRON STATES

8.110 General theories and computational techniques

On a more exact treatment of the conduction electron potential in first principles calculations of lattice dynamics of metals *F Sun, R Day, P H Cutler and W F King III* FL1
A new Fourier series representation for the Fermi surface of the noble metals *B Bosacchi and P Franzosi* FL99
Formation energy of heterovalent alloys *P F de Châtel and G G Robinson* FL173
Comment on 'On a more exact treatment of the conduction electron potential in first principles calculations of lattice dynamics of metals' *J Hafner* FL201
Magnetic and cohesive properties from canonical bands *U K Poulsen, J Kollár and O K Andersen* FL241
Possible phase change in paramagnetic $ZrZn_2$ *G Dublon and M Weger* FL249
New empirical form factor for the alkali metals: sodium and potassium *M Kaveh* F181
Third-order perturbation theory and structures of liquid metals: sodium and potassium *M Hasegawa* F649
Can positrons self-trap in metals? *C H Leung, T McMullen and M J Stott* F1063
On calculating the electron–phonon mass enhancement λ for compounds *B M Klein and D A Papaconstantopoulos* F1135
The model potential for Zn and Cd *V Bortolani and G Giunchi* F1259

Charge transfer and ordering energy in a model binary alloy *J Giner, F Brouers, F Gautier and J van der Rest* F1281
On the observed positron effective mass in alkali metals *M Hasegawa* F1433
The resonant model potential form factor: general theory and application to copper, silver and calcium *L Dagens* F1801
Harmonic model potential for simple metals *P L Srivastava and R N Singh* F1819
Electron–impurity scattering in dilute alloys with lattice distortion: I. General theory *A Lodder* F1885
Theory of electric field gradients in metals *K W Lodge* F1989
Generalized perturbation theory in disordered transitional alloys: Application to the calculation of ordering energies *F Ducastelle and F Gautier* F2039

8.120 Electronic density of states determinations

Application of the f-sum rule to UPS spectra in silver *C Norris and G P Williams* FL167
Photoemission measurements of liquid bismuth *C Norris and J T M Wotherspoon* FL263
Normalization of the single OPW conduction electron states in first principles pseudopotential calculations of phonon spectra *R S Day, F Sun and P H Cutler* FL297
Monte Carlo calculation of the pair correlation function of liquid aluminium with a pseudopotential satisfying the compressibility sum rule *E Michler, H Hahn and P Schofield* FL319
Ultraviolet photoelectron spectra of the outer d bands of Ag–In and Ag–Cd alloys *J D Riley, R C G Leckey, J G Jenkin, J Liesegang and R T Poole* F293
On the surface states of Mo and W *M C Desjonquères and F Cyrot-Lackmann* F567
Pressure cell-boundary relation, Fermi levels and surface dipoles for transition metals *R M Nieminen and C H Hodges* F573
A cluster description of a perfect crystal *D B B Rijsenbrij and A Lodder* F1053
Helium heat of solution in Al and Mg using non-linear self-consistent screening of the nucleus *M D Whitmore* F1259
A calculation of the electronic structure of an impurity atom of a non-transition element in ferromagnetic iron *K Terakura* F1385
Alloy-analogy treatment of valence transition in rare-earth systems *S K Ghatak, M Avignon and K H Bennemann* F1441
A relation between the CPA and CSEM methods *J Slechta* F2081
The coherent pseudopotential approximation *V Drchal and J Kudrnovský* F2247

8.130 Extended, single-particle electronic states

8.132 Electron energy states in liquid metals and alloys

The magnetic properties of liquid transition metals and rare earth metals *K H Bennemann* F43
Band theoretical study of the optical gap in expanded fluid mercury *H Overhof, H Uchtmann and F Hensel* F523
Multi-band electronic structure of non-simple liquid and amorphous metals and their alloys *F Yonezawa and F Martino* F739
Electron–electron pair correlation function in solid and molten nearly-free electron metals *S Cusack, N H March, M Parrinello and M P Tosi* F749
The effect of non-orthogonality and previously neglected diagonal terms in the tight-binding approximation for the electronic structure of liquid metals and alloys *F Yonezawa, Y Ishida and F Martino* F1091
Energy of formation of binary transitional alloys *M Cyrot and F Cyrot-Lackmann* F2257
Further analysis of effective medium approximation for a tight binding model of a liquid metal *L M Roth* F2267

8.136 Bandstructure and Fermi surface of solid metals and alloys

Relation between the corner and central formulation of the MCPN(CSEM) method *J Slechta* FL29
Optical phonons and density of states variations in Pd–H_x *J C H Chiu and R A B Devine* FL33
A new Fourier series representation for the Fermi surface of the noble metals *B Bosacchi and P Franzosi* FL99
Anisotropy of the electron–phonon scattering rate on the Fermi surface of indium *A B M Hoff, D G de Groot and D L Randles* FL141
Superconductivity and electronic density of states *R C Dynes and C M Varma* FL215
The LMTO band method applied to V_3Ga *T Jarlborg and G Arbman* F189
de Haas–van Alphen study of conduction electron scattering and impurity screening for dilute Co impurities in Au *Y Chung and D H Lowndes* F199
The Fermi surface of white tin using ultrasonic quantum oscillations *W A Roger, J A Rowlands and S B Woods* F315
Ultrasonic quantum oscillations and the Fermi surface of lead *U M O Ivowi and L Mackinnon* F329

The de Haas–van Alphen effect in Kondo systems *E W Fenton* F363
Energy of formation for dilute alloys with transitional impurities *F Gautier, G Moraitis and J C Parlebas* F381
A positron annihilation study of the annealing of electron irradiated molybdenum *M Eldrup, O E Mogensen and J H Evans* F499
Theory of the cohesive energy of simple metals *R E McLaren* F767
The Fermi surface of the HCP Cu–Ge alloys containing 12–15 at% Ge studied by positron annihilation *T Suzuki, M Hasegawa and M Hirabayashi* F779
Electronic structure of YMg cubic compound by the self-consistent SAPW method *D Schmitt, J Pierre and M Belakhovsky* F789
Anomalous melting of f electron metals (with attention to Pu) *F A Kmetko and H H Hill* F1025
Studies of the 4f states in lanthanum by means of electron and photon excited appearance potential spectroscopy *J Kanski, P O Nilsson and I Curelaru* F1073
Positron annihilation studies of the production of vacancies in copper *P Rice-Evans, Tin Hlaing and D B Rees* F1079
The effect of non-orthogonality and previously neglected diagonal terms in the tight-binding approximation for the electronic structure of liquid metals and alloys *F Yonezawa, Y Ishida and F Martino* F1091
A pseudopotential model for indium *P M Holtham* F1457
Dilute indium alloys: Measurement and calculation of Fermi surface changes *P M Holtham and D Parsons* F1481
Self-consistency in calculations of the electronic bandstructure and the lattice dynamics of metals *P Kay and J A Reissland* F1503
Low-field Hall coefficient of zinc and cadmium *I Shiozaki* F1523
Effect of correlation on the bandstructure of zirconium *K Iyakutti, C K Majumdar, R S Rao and V Devanathan* F1639
De Haas–van Alphen effect in alkali metal dispersions and the Fermi surface of lithium *D L Randles and M Springford* F1827
Positron annihilation study of ordering in CuAu *H Fukushima, J Sugiura and M Doyama* F1845
Energy bands of LaAg: Applications to magnetic and electronic properties and martensitic transformation *C Tannous, D K Ray and M Belakhovsky* F2091
Cyclotron effective masses in white tin *W A Roger and S B Woods* F2289
Many-body effects in transition metals: role of the density of states *G K Wertheim and L R Walker* F2297
A new interpretation for nuclear magnetic relaxation data of a nickel-based alloy *B Chornik, M Kiwi and M J Zuckermann* F2419

8.140 Localized electron states

Impurity density of states of dilute CuNi alloys *A B Kaiser and P W Gilberd* FL209
Possible phase change in paramagnetic $ZrZn_2$ *G Dublon and M Weger* FL249
A spherical cell model of cerium *B N Cox and P Lloyd* F797
Alloy-analogy treatment of valence transition in rare-earth systems *S K Ghatak, M Avignon and K H Bennemann* F1441
Many-body effects in transition metals: role of the density of states *G K Wertheim and L R Walker* F2297

8.160 Impurity and defect levels: positron states

A method for handling long range oscillatory potentials in the study of planar defects *P Beauchamp* FL63
Electron–positron momentum distribution in cadmium: evidence for self-trapped positrons below the vacancy trapping region *S M Kim and W J L Buyers* FL67
The temperature dependence of positron lifetimes in cadmium *K P Singh and R N West* FL267
On the strength of the positron–phonon interaction in metals *T McMullen* FL323
Positron annihilation studies of the production of vacancies in copper *P Rice-Evans, Tin Hlaing and D B Rees* F1079
A positron annihilation study of the annealing of electron irradiated molybdenum *M Eldrup, O E Mogensen and J H Evans* F499
On the observed positron effective mass in alkali metals *M Hasegawa* F1433
Effect of correlation on the bandstructure of zirconium *K Iyakutti, C K Majumdar, R S Rao and V Devanathan* F1639
Positron annihilation study of ordering in CuAu *H Fukushima, J Sugiura and M Doyama* F1845
TDPAC studies of ^{111}Cd in InBi and In_2Bi *S A Lis and R A Naumann* F2307

8.170 Polarons, excitons and other excitations

Surface plasmons in small Au–Ag alloy particles *G C Papavassiliou* FL103

On the strength of the positron–phonon interaction in metals *T McMullen* FL323

8.200 ELECTRICAL TRANSPORT

8.210 Electronic conduction in metals

Evidence for a 'dirty' limit in the resistivity of dilute gallium-based alloys *J J Polick and R I Boughton* FL177

Evidence for a 'dirty' limit in the resistivity of dilute gallium-based alloys (corrigendum) *J J Polick and R I Boughton* FL235

Electronic thermal resistivity of potassium and lithium *F W Kus* F59

Calculation of the phonon-limited ideal resistivity of potassium and sodium *R C Shukla and R Taylor* F531

Temperature dependence of the electrical resistivity of liquid gallium between its freezing point (29·75°C) and 752°C *M Pokorny and H U Åström* F559

Optical studies of dilute AuNi alloys *M Bassett and D Beaglehole* F1211

g-factor measurements in antimony by the de Haas–van Alphen effect *Z Altounian and W R Datars* F1297

Electrical resistivity studies of the magnetic character of Rh–Co alloys *A Tari* F1313

Electron–impurity scattering in dilute alloys with lattice distortion: I. General theory *A Lodder* F1885

On the occurrence of spin glass and mictomagnetic regimes in a transition binary system: the MoFe system *A Amamou, R Caudron, P Costa, J M Friedt, F Gautier and B Loegel* F2371

8.212 Electrical and thermal conduction in crystalline metals and alloys

On the universal curve for resistivity in dilute magnetic alloys *B Kozarzewski* FL7

Deviations from Matthiessen's rule due to vacancies in pure gold and gold–silver dilute alloys *F Nakamura, K Ogasawara and J Takamura* FL11

The electrical resistivity of bismuth: intervalley scattering *K Anagnostopoulos and J E Aubrey* FL181

The Hall coefficient for isotropic electron scattering *D Greig, G M Lawson, M F Martin and L K E Morris* FL281

Pressure dependence of the resistivity of MoFe—a spin glass *P J Ford and J S Schilling* FL285

The electrical resistivity of bismuth: electron–hole scattering *C A Kukkonen and P F Maldague* FL301

The low-temperature resistivity of AlV and AlTi alloys *E Babić, R Krsnik and M Očko* F73

Transport properties of very pure copper and silver below 8·5 K *E R Rumbo* F85

Electrical conductivity of a two s–d band alloy model: effect of off-diagonal disorder *M Brauwers, A K Bhattacharya and F Brouers* F209

Deviation from Matthiessen's rule in aluminium–zinc alloys *C Papastaikoudis, K Papathanasopoulos and E Rocofyllou* F409

On the frequency-dependent electrical conductivity of dilute magnetic alloys at low temperatures *M Ahmed* F419

Measurements of electron lifetimes in silver–transition metal alloys *D Sang and A Myers* F545

Some properties of AlSc solid solutions *M Očko, E Babić, R Krsnik, E Girt and B Leontić* F703

Electrical resistivity of ferromagnetic nickel and iron based alloys *A Fert and I A Campbell* F849

An estimate of the effect of lattice relaxation on deviations from Matthiessen's rule in potassium *B White, Z Popović, J P Carbotte and G R Piercy* F1103

The electrical and magnetic properties of off-stoichiometry Gd–Pt Laves phase compounds *R H Taylor, I R Harris and W E Gardner* F1125

Deviations from Matthiessens rule at low temperatures in PtTi alloys *S Ho, G Williams and J O Ström-Olsen* F1325

Temperature and strain effect on electrical resistivity of transition metal alloys: application to strain gauges *M Brauwers and F Brouers* F1331

Anisotropy correction to the electrical resistivity of ideally pure potassium *C R Leavens and M J Laubitz* F1851

Critical behaviour in the transport properties of pure iron *M D Lanchbury and N H Saunders* F1967

Electricity resistivity of dilute magnetic α-phase Cu–Al(Fe) alloys: charge screening of Al ions in a Cu host *J S Schilling and J Crone* F2097

The influence of Frenkel defects on the anomalous resistivity and thermopower of dilute CuCr alloys *G Wehr, G Sieber and K Böning* F2133

8.214 Electrical and thermal conduction in amorphous and liquid metals and alloys

Hopping conduction in disordered systems *A ten Bosch* FL253

Negative temperature coefficients of electrical resistivity: the divalent liquid metals Eu, Yb and Ba *H-J Güntherodt, E Hauser, H U Künzi, R Evans, J Evers and E Kaldis* F1513

8.216 Galvanomagnetic and thermoelectric effects

Magnetoresistance of gadolinium *R C Young, R G Jordan and D W Jones* FL37

Anisotropic spin-flip scattering in an AuFe monocrystal *J E A Alderson, S P McAlister and C M Hurd* FL275

Transport properties of very pure copper and silver below 8·5 K *E R Rumbo* F85

A simple formula for the low-field longitudinal magnetoresistance: application to experiments performed on copper *J-M Welter, H J Fenzl and K Böning* F1113

Low-field Hall coefficient of zinc and cadmium *I Shiozaki* F1523

Influence of Fermi surface and defect structure on the low-field galvanomagnetic properties of Al *W Kesternich, H Ullmaier and W Schilling* F1867

The influence of Frenkel defects on the anomalous resistivity and thermopower of dilute CuCr alloys *G Wehr, G Sieber and K Böning* F2133

Low temperature electron diffusion magnetothermopower of aluminum: I. Experiment *B J Thaler and J Bass* F2315

Low temperature electron-diffusion magnetothermopower of aluminum: II. Theory *J L Opsal and D K Wagner* F2323

8.218 Relaxation times and mean free paths

Comments on RFSE in cylinders *D R Baer* FL17

Electron–positron momentum distribution in cadmium: evidence for self-trapped positrons below the vacancy trapping region *S M Kim and W J LBuyers* FL67

Tilted field radio frequency size effect measurements on copper *P B Johnson and R G Goodrich* FL107

Anisotropy of the electron–phonon scattering rate on the Fermi surface of indium *A B M Hoff, D G de Groot, D L Randles* FL141

The Hall coefficient for isotropic electron scattering *D Greig, G M Lawson, M-F Martin and L K E Morris* FL285

Transport properties of very pure copper and silver below 8·5 K *E R Rumbo* F85

The electron–phonon mean free path in potassium: a comparative study of radio frequency size effect measurement techniques *M D Rosenthal and D K Wagner* F413

Anisotropy correction to the electrical resistivity of ideally pure potassium *C R Leavens and M J Laubitz* F1851

Influence of Fermi surface and defect structure on the low-field galvanomagnetic properties of Al *W Kesternich, H Ullmaier and W Schilling* F1867

Electron-impurity scattering in dilute alloys with lattice distortion: I. General theory *A Lodder* F1885

8.230 High-frequency effects

Surface plasmons in small Au–Ag alloy particles *G C Papavassiliou* FL103

The electron–phonon mean free path in potassium: a comparative study of radio frequency size effect measurement techniques *M D Rosenthal and D K Wagner* F413

8.300 ELECTRICAL PROPERTIES OF SURFACES, INTERFACES AND THIN FILMS

8.320 Surfaces

sp–d hybridization effects on the electronic structure of the (100) surface in copper *C M Bertoni, O Bisi, C Calandra, F Nizzoli and G Santoro* FL41

Friedel oscillations about an impurity near a metal surface *I D Moore* FL71

Theory for d electrons at the surface of disordered transition-metal alloys *G Kerker* FL113

On the surface states of Mo and W *M C Desjonquères and F Cyrot-Lackmann* F567

Pressure cell-boundary relation, Fermi levels and surface dipoles for transition metals *R M Nieminen and C H Hodges* F573

The ionic structure and the electronic potential of metal surfaces *C Tejedor and F Flores* F1647

Mode Grüneisen parameters in potassium: I *J Meyer, G Dolling, J Kalus, C Vettier and J Paureau* F1899

Mode Grüneisen parameters in potassium: II *R Taylor and H R Glyde* F1915

8.360 Thin films

The electrical conductivity of very thin metal films *D Gottlieb and V Halpern* F2333

8.400 SUPERCONDUCTIVITY

8.410 General theory

Evaluation of an integral in the theory of fluctuation free energy in terms of Euler paths round a graph *G P McCauley and D J Thouless* F109

Microwave acoustic studies of the superconducting transition in aluminium *K R Lyall, D J Meredith and E R Dobbs* F807

On calculating the electron–phonon mass enhancement λ for compounds *B M Klein and D A Papaconstantopoulos* F1135

Perturbation series for the critical behaviour of type II superconductors near H_{c2} *G J Ruggeri and D J Thouless* F2063

Comparison of resonance and tight-binding description of the electron–phonon coupling in transition metals *A Birnboim and H Gutfreund* F234

8.420 Equilibrium properties

Superconductivity and electronic density of states *R C Dynes and C M Varma* FL215

The flux lattice in a deformed type II superconductor *C P Herring* F99

Charge transfer: an alternative way to describe the superconducting properties of the A-15 structure *G H Bongi* F1535

Specific heat in an inhomogeneous superconducting film *E Šimánek* F1661

The specific heats of Ho, HoAg and LaAg from 0·8 to 4 K *R W Hill, J Cosier and D A Hukin* F1731

8.430 Non-equilibrium and transport properties

Thermal expansion of BCC solid solution alloys in the system Zr–Nb–Mo–Re *T F Smith and T R Finlayson* F709

Etude par ultrasons des propriétés du gallium supraconducteur (Ultrasonic investigation of gallium superconducting properties) *D Morisseau* F1553

Calculation of thermal conductivity produced by the proximity effect *J Bar-Sagi* F1669

The theory of the effect of anisotropic scattering by impurities on the electromagnetic response of superconductors *G J Thackray and G Rickayzen* F1679

Experimental test of proximity effect theories by surface impedance measurements on the Pb–Sn system *J R Hook and J A Battilana* F1689

Magnetic and resistive behaviour of a superconducting Nb–54 at% Ta cylinder *W E Timms and D G Walmsley* F2107

8.440 Tunnelling and coupled superconductors

The Josephson tunnel effect in superconducting alloys described by the Anderson model *A D S Nagi and U N Upadhyaya* F2353

8.500 MAGNETIC PROPERTIES AND MATERIALS

8.510 General theory and models of magnetic ordering

Onset of magnetic order in the giant moment system PdCo *I Maartense and G Williams* FL121

The temperature dependence of hyperfine fields in transition metals and alloys *D M Edwards* FL185

Free electron calculation of the surface magnetization of paramagnetic metals *J P Muscat* FL231

Magnetic and cohesive properties from canonical bands *U K Poulsen, J Kollár and O K Andersen* FL241

Pressure dependence of the resistivity of MoFe—a spin glass *P J Ford and J S Schilling* FL285

On the spin-wave exchange stiffness constant in ferromagnetic transition metal alloys *M Hennion, B Hennion, M Nauciel-Bloch and R Riedinger* FL303

Internal field distribution for spin glass *T Plefka* FL327

The absence of critical concentration for ferromagnetism in disordered PdNi-type alloys *T Kato and J Mathon* F221

Small angle critical neutron scattering and the onset of ferromagnetism in Au–Fe alloys *A P Murani, S Roth, P Radhakrishna, B D Rainford, B R Coles, K Ibel, G Goeltz and F Mezei* F425

Band model for magnetism of transition metals in the spin-density-functional formalism *O Gunnarsson* F587

Theory of the spin wave stiffness constant in ferromagnetic transition metal alloys *D M Edwards and D J Hill* F607

Crystalline electric fields in dilute alloys: Y–Er *G Keller and J M Dixon* F819

Spin susceptibilities in the theory of itinerant-electron antiferromagnetism: II. Two-band incommensurate case *W Young* F829

Molecular field calculation of the magnetic structure in erbium *J Jensen* F1145
Volume magnetostriction in Ni_3Al and Ni–Pt alloys and its interpretation in the band model of magnetism *T F M Kortekaas and J J M Franse* F1161
Optical properties of metallic calcium *O Hunderi* F1223
A phenomenological theory of disordered ferromagnetic PdNi-type alloys *T Kato and J Mathon* F1341
Some comments on the theory of spin glasses *H Müske and G Heber* F1353
Magnetic properties, magnetic structure and crystal field in equiatomic rare earth–magnesium compounds *R Aleonard, P Morin, J Pierre and D Schmitt* F1361
New method for the Anderson model *S E Barnes* F1375
Coherent potential approximation for partially ordered alloys *A Z Maksymowicz* F1705
Effective number of conduction electrons in antiferromagnetic metals near T_N *M Ausloos* F1723
The ground state of a spin glass *S F Edwards* F1923
Theory of spin glasses: II *S F Edwards and P W Anderson* F1927
Screening of non-transition element impurities in iron *C M Sayers* F1939
Susceptibility maximum and Fermi-liquid effect in 4d and 5d transition metals *S Misawa and K Kanematsu* F2119

8.520 Diamagnetism and paramagnetism

The nuclear spin–lattice relaxation time of dilute magnetic alloys *M Ahmed* FL45

8.524 Metals and alloys

The Knight shift and nuclear spin relaxation of ^{61}Ni metal in the paramagnetic phase *P J Segransan, W G Clark, Y Chabre and G C Carter* FL153
Free electron calculation of the surface magnetization of paramagnetic metals *J P Muscat* FL231
Coherent potential approximation for partially ordered alloys *A Z Maksymowicz* F1705
A Mössbauer study of magnetic order in HCP iron–ruthenium alloys *J D Rush, C E Johnson and M F Thomas* F2017
Susceptibility maximum and Fermi-liquid effect in 4d and 5d transition metals *S Misawa and K Kanematsu* F2119
The electric field gradient produced in iron by trigonal and tetragonal distortions *T E Cranshaw and R C Mercader* F2129

8.526 Local moments in dilute alloys; Kondo effect

Kondo scattering in a pure metal—β cerium: I. Experimental *K A Gschneidner Jr, P Burgardt, S Legvold, J O Moorman, T A Vyrostek and C Stassis* FL49
Kondo scattering in a pure metal—β cerium: II. Theoretical *S H Liu, P Burgardt, K A Gschneidner Jr and S Legvold* FL55
On the asymmetry in the Kondo susceptibility *S E Barnes* FL191
NMR and orbital moments on magnetic impurities in Pd *Le Dang Khoi, P Veillet and I A Campbell* FL197
Dynamic EPR susceptibility for the 'ionic' approach to the Anderson model *S E Barnes* F115
A Mössbauer study of the magnetic properties of CuFe alloys *S J Campbell, P E Clark and T J Hicks* F249
On the frequency-dependent electrical conductivity of dilute magnetic alloys at low temperatures *M Ahmed* F419
The Kondo effect in the dynamics of localized moments in metals *S E Barnes* F1713
The influence of Frenkel defects on the anomalous resistivity and thermopower of dilute CuCr alloys *G Wehr, G Sieber and K Böning* F2133
Single impurity behaviour and interaction effects in the magnetic susceptibility of AlMn and AlCr alloys *J R Cooper and M Miljak* F2151
On the occurrence of spin glass and mictomagnetic regimes in a transition binary system: the MoFe system *A Amamou, R Caudron, P Costa, J M Friedt, F Gautier and B Loegel* F2371

8.530 Magnetically ordered materials: intrinsic properties

Magnetic and cohesive properties from canonical bands *U K Poulsen, J Kollár and O K Andersen* FL 241
The magnetic properties of liquid transition metals and rare earth metals *K H Bennemann* F43
Critical pressure effects in PdNi alloys *J Beille and R Tournier* F621
The electrical and magnetic properties of off-stoichiometry Gd–Pt Laves phase compounds *R H Taylor, I R Harris and W E Gardner* F1125
Magnetic properties, magnetic structure and crystal field in equiatomic rare earth–magnesium compounds *R Aleonard, P Morin, J Pierre and D Schmitt* F1361
Magnetic properties of Be_xFe_{1-x} compounds near to Be_2Fe *R Jesser and I Vincze* F1567
The single-Q state of chromium *E W Fenton* F2403

8.531 Saturation moments and magnetic susceptibility

Effects of finiteness of the potential barrier height on the surface spin susceptibility of paramagnetic metals *J P Muscat* FL117

Onset of magnetic order in the giant moment system PdCo *I Maartense and G Williams* FL121

Itinerant magnetism in NiV alloys around the critical concentration for ferromagnetism *F Acker and R Huguenin* FL147

Magnetic properties of hexagonal and cubic Fe_3Ge *J W Drijver, S G Sinnema and F van der Woude* F2165

Effects of strain on orbital magnetic and spin paramagnetic susceptibilities in metals *Y Takahashi, S Kamiguchi and M Shimizu* F2389

AC susceptibility of the exchange enhanced system Co in $(Pd_{0.5}Rh_5)$ *I Maartense and G Williams* F2363

8.533 Magnetic impurity interactions

Negative hyperfine field at Cd impurity sites in the Heusler alloy Pd_2Mn Sb *C C M Campbell and J A Cameron* FL221

Interaction between local magnetic moments in metals: I *G Malmström, D J W Geldart and C Blomberg* F233

^{63}Cu spin-lattice relaxation in Cu-based dilute magnetic alloys at low field *P Bernier and H Alloul* F1193

New method for the Anderson model *S E Barnes* F1375

Screening of non-transition element impurities in iron *C M Sayers* F1939

Interaction between local magnetic moments in metals: II *G Malmström, D J W Geldart and C Blomberg* F1953

Single impurity behaviour and interaction effects in the magnetic susceptibility of AlMn and AlCr alloys *J R Cooper and M Miljak* F2151

8.534 Critical point effects, specific heats, short-range order, magnetic transactions

Possible phase change in paramagnetic $ZrZn_2$ *G Dublon and M Weger* FL249

Study by Mössbauer spectroscopy of the series of perovskite carbides $M_3M'C$ with M = Fe or Mn, and M' = Al, Ga, Ge, Zn, Sn *F Grandjean and A Gérard* F451

Effective number of conduction electrons in antiferromagnetic metals near T_N *M Ausloos* F1723

The specific heats of Ho, HoAg and LaAg from 0·8 to 4 K *R W Hill, J Cosier and D A Hukin* F1731

Critical behaviour in the transport properties of pure iron *M D Lanchbury and N H Saunders* F1967

A Mössbauer study of magnetic order in HCP iron–ruthenium alloys *J D Rush, C E Johnson and M F Thomas* F2017

8.535 Spin arrangements

Pressure dependence of the resistivity of MoFe—a spin glass *P J Ford and J S Schilling* FL285

The ground state of a spin glass *S F Edwards* F1923

Theory of spin glasses: II *S F Edwards and P W Anderson* F1927

Some comments on the theory of spin glasses *H Müske and G Heber* F1353

The magnetic structure of Tb–Tm alloys studied by neutron diffraction *P Hansen and B Lebech* F2179

On the occurrence of spin glass and mictomagnetic regimes in a transition binary system: the MoFe system *A Amamou, R Caudron, P Costa, J M Friedt, F Gautier and B Loegel* F2371

8.536 Spin waves

On the spin-wave exchange stiffness constant in ferromagnetic transition metal alloys *M Hennion, B Hennion, M Nauciel-Bloch and R Riedinger* FL303

Theory of the spin wave stiffness constant in ferromagnetic transition metal alloys *D M Edwards and D J Hill* F607

Spin waves in FCC Ni–Fe alloys *K Mikke, J Jankowska and A Modrzejewski* F631

8.537 Anisotropy

Measurement of the anisotropy constants K_3 and K_1 for nickel and a dilute nickel–vanadium alloy *J Amighian and W D Corner* FL309

Magnetic properties of hexagonal and cubic Fe_3Ge *J W Drijver, S G Sinnema and F van der Woude* F2165

8.540 Studies of specific magnetic materials

The influence of ferromagnetism on the bulk, shear and Young's moduli of alloys *E P Wohlfarth* FL59

The structural and magnetic properties of $Co_2Ga_{2-x}T_x$ alloys where T = V and Cr *R Cywinski and J G Booth* FL75

Resonance (ferromagnetic and paramagnetic) and antiresonance in $Gd_{0.61}Y_{0.39}$ crystal *M A Mojumder* FL79

Onset of magnetic order in the giant moment system PdCo *I Maartense and G Williams* FL121
Itinerant magnetism in NiV alloys around the critical concentration for ferromagnetism *F Acker and R Huguenin* FL147
NMR and orbital moments on magnetic impurities in Pd *Le Dang Khoi, P Veillet and I A Campbell* FL197
Negative hyperfine field at Cd impurity sites in the Heusler alloy Pd_2Mn Sb *C C M Campbell and J A Cameron* FL221
Pressure dependence of the resistivity of MoFe—a spin glass *P J Ford and J S Schilling* FL285
Measurement of the anisotropy constants K_3 and K_1 for nickel and a dilute nickel–vanadium alloy *J Amighian and W D Corner* FL309
Hyperfine interactions of scandium nuclei in gadolinium *M G Colley, D H Chaplin, D E Swan and G V H Wilson* F131
Distribution of ^{57}Fe hyperfine fields in Ni–Mn alloys—a Mössbauer effect study *J Ray, G Chandra and C Bansal* F265
Small angle critical neutron scattering and the onset of ferromagnetism in Au–Fe alloys *A P Murani, S Roth, P Radhakrishna, B D Rainford, B R Coles, K Ibel, G Goeltz and F Mezei* F425
Temperature dependence of magnetic excitations in Pd_3Fe *T M Holden* F433
Study by Mössbauer spectroscopy of the series of perovskite carbides $M_3M'C$ with M = Fe or Mn, and M′ = Al, Ga, Ge, Zn, Sn *F Grandjean and A Gérard* F451
Critical pressure effects in PdNi alloys *J Beille and R Tournier* F621
Spin waves in FCC Ni–Fe alloys *K Mikke, J Jankowska and A Modrzejewski* F631
Crystalline electric fields in dilute alloys: Y–Er *G Keller and J M Dixon* F819
Electrical resistivity of ferromagnetic nickel and iron based alloys *A Fert and I A Campbell* F849
The electrical and magnetic properties of off-stoichiometry Gd–Pt Laves phase compounds *R H Taylor, I R Harris and W E Gardner* F1125
Molecular field calculation of the magnetic structure in erbium *J Jensen* F1145
Volume magnetostriction in Ni_3Al and Ni–Pt alloys and its interpretation in the band model of magnetism *T F M Kortekaas and J J M Franse* F1161
NMR of ^{59}Co in amorphous CoP alloys *J Durand and M F Lapierre* F1185
Optical properties of metallic calcium *O Hunderi* F1223
Magnetic properties, magnetic structure and crystal field in equiatomic rare earth–magnesium compounds *R Aleonard, P Morin, J Pierre and D Schmitt* F1361
A calculation of the electronic structure of an impurity atom of a non-transition element in ferromagnetic iron *K Terakura* F1385
Electron spin resonance of $Gd_{1-x}Dy_xAl_2$ *Thân-Trong Nguyên, LB Chiu, P R Elliston, A M Stewart and K N R Taylor* F1399
Magnetic properties of Be_2Fe_{1-x} compounds near to Be_2Fe *R Jesser and I Vincze* F1567
Screening of non-transition element impurities in iron *C M Sayers* F1939
Electron spin resonance of Gd in metallic Van-Vleck beryllides *J M Bloch, D Davidov, I Felner and D Shaltiel* F1979
A Mössbauer study of magnetic order in iron–ruthenium alloys *J D Rush, C E Johnson and M F Thomas* F2017
Single impurity behaviour and interaction effects in the magnetic susceptibility of AlMn and AlCr alloys *J R Cooper and M Miljak* F2151
Magnetic properties of hexagonal and cubic Fe_3Ge *J W Drijver, S G Sinnema and F van der Woude* F2165
The magnetic structure of Tb–Tm alloys studied by neutron diffraction *P Hansen and B Lebech* F2179
Mössbauer determination of the gold hyperfine field in the Heusler alloy Au_2MnAl *W Leiper, C Blaauw, G R MacKay and F W D Woodhams* F2191
AC susceptibility of the exchange enhanced system Co in $(Pd_{0.5}Rh_{0.5})$ *I Maartense and G Williams* F2363
Effects of strain on orbital magnetic and spin paramagnetic susceptibilities in metals *Y Takahashi, S Kamiguchi and M Shimizu* F2389
The single-*Q* state of chromium *E W Fenton* F2403

8.550 Domain effects, magnetization curves, hysteresis

Itinerant magnetism in NiV alloys around the critical concentration for ferromagnetism *F Acker and R Huguenin* FL147

8.570 Magnetomechanical effects, magnetostriction

Elastic constants of single crystal erbium *P de V du Plessis* F873
Volume magnetostriction in Ni_3Al and Ni–Pt alloys and its interpretation in the band model of magnetism *T F M Kortekaas and J J M Franse* F1161

Effects of strain on orbital magnetic and spin paramagnetic susceptibilities in metals
Y Takahashi, S Kamiguchi and M Shimizu F2389

8.600 MAGNETIC RESONANCE AND RELAXATION MÖSSBAUER EFFECT

8.630 Electron spin resonance and relaxation

Electron spin resonance of $Gd_{1-x}Dy_xAl_2$
Thân-Trong Nguyên, L B Chiu, P R Elliston, A M Stewart and K N R Taylor F1399

CESR observation using an amplitude-modulated microwave field *B Vigouroux, J C Gourdon and J Pescia* F1575

Electron spin resonance of Gd in metallic Van-Vleck beryllides *J M Bloch, D Davidov, I Felner and D Shaltiel* F1979

8.650 Ferromagnetic, antiferromagnetic and ferrimagnetic resonances: spin wave resonance

Resonance (ferromagnetic and paramagnetic) and antiresonance in $Gd_{0.61}Y_{0.39}$ crystal
M A Mojumder FL79

8.660 Nuclear magnetic resonance and relaxation

The temperature dependence of hyperfine fields in transition metals and alloys *D M Edwards* FL185

NMR and orbital moments on magnetic impurities in Pd *Le Dang Khoi, P Veillet and I A Campbell* FL197

Nuclear magnetic resonance of aluminium in intermetallic compounds of Ni-rich β-AlNi
J M Brettell and W S Hinshaw F1177

NMR of ^{59}Co in amorphous CoP alloys *J Durand and M F Lapierre* F1185

8.662 Chemical and Knight shifts

The Knight shift and nuclear spin relaxation of ^{61}Ni metal in the paramagnetic phase
P J Segransan, W G Clark, Y Chabre and G C Carter FL153

8.664 Relaxation effects

The nuclear spin–lattice relaxation time of dilute magnetic alloys *M Ahmed* FL45

The Knight shift and nuclear spin relaxation of ^{61}Ni metal in the paramagnetic phase
P J Segransan, W G Clark, Y Chabre and G C Carter FL153

Correction of the expression for the electric field gradient in the theory of quadrupolar relaxation in liquid metals *W Schirmacher* FL157

A reply to 'Correction of the expression for the electric field gradient in the theory of quadrupolar relaxation in liquid metals'
C A Sholl FL161

Quadrupole nuclear spin relaxation in liquid gallium alloys *G Cartledge, R L Havill and J M Titman* F639

^{63}Cu spin-lattice relaxation in Cu-based dilute magnetic alloys at low field *P Bernier and H Alloul* F1193

Perturbed angular correlation of ^{111}Cd in liquid In–Bi alloys *S Tamaki, Y Tsuchiya, A Furusawa and H Okazaki* F2009

A new interpretation for nuclear magnetic relaxation data of a nickel-based alloy
B Chornik, M Kiwi and M J Zuckermann F2419

8.666 Quadrupole resonances

Theory of electric field gradients in metals
K W Lodge F1989

8.680 Mössbauer effect, other γ-ray spectroscopy

The temperature dependence of hyperfine fields in transition metals and alloys *D M Edwards* FL185

Negative hyperfine field at Cd impurity sites in the Heusler alloy Pd_2MnSb
C C M Campbell and J A Cameron FL221

Mössbauer studies of hydrided TiFe
L J Swartzendruber, L H Bennett and R E Watson FL331

Hyperfine interactions of scandium nuclei in gadolinium *M G Colley, D H Chaplin, D E Swan and G V H Wilson* F131

A Mössbauer study of the magnetic properties of CuFe alloys *S J Campbell, P E Clark and T J Hicks* F249

Distribution of ^{57}Fe hyperfine fields in Ni–Mn alloys—a Mössbauer effect study *J Ray, G Chandra and C Bansal* F265

Study by Mössbauer spectroscopy of the series of perovskite carbides $M_3M'C$ with M = Fe or Mn, and M' = Al, Ga, Ge, Zn, Sn
F Grandjean and A Gérard F451

Perturbed angular correlation of ^{111}Cd in liquid In–Bi alloys *S Tamaki, Y Tsuchiya, A Furusawa and H Okazaki* F2009

A Mössbauer study of magnetic order in HCP iron–ruthenium alloys *J D Rush, C E Johnson and M F Thomas* F2017

The optical absorption spectrum of lithium metal *H P Myers and P Sixtensson* F2023

Magnetic properties of hexagonal and cubic Fe_3Ge *J W Drijver, S G Sinnema and F van der Woude* F2165
Mössbauer determination of the gold hyperfine field in the Heusler alloy Au_2MnAl *W Leiper, C Blaauw, G R MacKay and F W D Woodhams* F2191
TDPAC studies of ^{111}Cd in InBi and In_3Bi *S A Lis and R A Naumann* F2307

8.800 OPTICAL PROPERTIES AND CONDENSED-MATTER SPECTROSCOPY

8.810 Optical properties and materials

Magnetoreflection of antimony for circularly polarized radiation *M H B Thomas, M G Priestley and D Hemming* FL83
The optical absorption spectrum of gadolinium *H P Myers* F141
Optical properties of Ta–W–Re alloys from 0·5 to 5 eV *L K Thomas and S Thurm* F279
Temperature dependence of the optical properties of Au, Ag and Cu *P Winsemius, F F van Kampen, H P Lengkeek and C G van Went* F1583

8.820 Optical spectra

Surface plasmons in small Au–Ag alloy particles *G C Papavassiliou* FL103
Impurity density of states of dilute CuNi alloys *A B Kaiser and P W Gilberd* FL209
The optical absorption spectrum of gadolinium *H P Myers* F141
Hamiltonian treatment of optical emission from irradiated metals *A Marvin, A L Stella and F Toigo* F909
Optical studies of dilute AuNi alloys *M Bassett and D Beaglehole* F1211
Temperature dependence of the optical properties of Au, Ag and Cu *P Winsemius, F F van Kampen, H P Lengkeek and C G van Went* F1583

8.850 Other spectra and interactions between radiation and matter

X ray spectroscopic study of some RCo_3 compounds *P R Sarode and A R Chetal* FL163
Directional photoemission from (100), (110) and (111) faces of nickel *P Heimann and H Neddermeyer* FL257
Soft x ray and photoelectron spectra of ordered and disordered Ni_3Fe alloys *C F Hague, E Källne, J M Mariot, G Dufour, R C Karnatak and C Bonnelle* F899
Studies of the 4f states in lanthanum by means of electron and photon excited appearance potential spectroscopy *J Kanski, P O Nilsson and I Curelaru* F1073
Appearance potential spectroscopy studies with Fe/Ni alloys *K Wandelt and G Ertl* F1607

8.860 Optical properties of thin films

Hamiltonian treatment of optical emission from irradiated metals *A Marvin, A L Stella and F Toigo* F909

8.900 ELECTRON AND ION EMISSION BY LIQUIDS AND SOLIDS AND IMPACT PHENOMENA

8.960 Photoemission

Many-electron structure in the XPS spectra of some transition metals and alloys *D Richardson and L A Hisscott* FL127
Application of the f-sum rule to UPS spectra in silver *C Norris and G P Williams* FL167
Photoemission measurements of liquid bismuth *C Norris and J T M Wotherspoon* FL263
Ultraviolet photoelectron spectra of the outer d bands of Ag–In and Ag–Cd alloys *J D Riley, R C G Leckey, J G Jenkin, J Liesegang and R T Poole* F293
Increased phonon broadening of XPS lines of metals due to finite core-hole lifetime *P Minnhagen* F1789
Many-body effects in transition metals: role of the density of states *G K Wertheim and L R Walker* F2297

8.980 Other emission

The dependence of the photoassisted field emission on the dielectric functions *L E Hasselberg* F469

Author index

Acker F and Huguenin R: Itinerant magnetism in NiV alloys around the critical concentration for ferromagnetism FL147

Ahmed M: The nuclear spin–lattice relaxation time of dilute magnetic alloys FL45

Ahmed M: On the frequency-dependent electrical conductivity of dilute magnetic alloys at low temperatures F419

Alderson J E A, McAlister S P and Hurd C M: Anisotropic spin-flip scattering in a AuFe monocrystal FL275

Aleonard R, Morin P, Pierre J and Schmitt D: Magnetic properties, magnetic structure and crystal field in equiatomic rare earth–magnesium compounds F1361

Alloul H: *see* Bernier P F1193

Altounian Z and Datars W R: g-factor measurements in antimony by the de Haas–van Alphen effect F1297

Amamou A, Caudron R, Costa P, Friedt J M, Gautier F and Loegel B: On the occurrence of spin-glass and mictomagnetic regimes in a transitional binary system: the MoFe system F2371
anisotropy constants K_3 and K_1 for nickel and a dilute nickel–vanadium alloy FL309

Amilius Z: *see* Stedman R F157

Anagnostopoulos K and Aubrey J E: The electrical resistivity of bismuth: intervalley scattering FL181

Andersen O K: *see* Poulsen U K FL241

Anderson P W: *see* Edwards S F F1927

Arbman G: *see* Jarlborg T F189

Åström H U: *see* Pokorny M F559

Aubrey J E: *see* Anagnostopoulos K FL181

Auluck S: *see* Prasad R F889

Auluck S: *see* Singh G S FL313

Ausloos M: Effective number of conduction electrons in antiferromagnetic metals near T_N F1723

Avignon M: *see* Ghatak S K F1441

Babić E: *see* Očko M F703

Babić E, Krsnik R and Očko M: The low-temperature resistivity of AlV and AlTi alloys F73

Baer D R: Comments on RFSE in cylinders FL17

Bansal C: *see* Ray J F265

Barnes S E: On the asymmetry in the Kondo susceptibility FL191

Barnes S E: Dynamic EPR susceptibility for the 'ionic' approach to the Anderson model F115

Barnes S E: New method for the Anderson model F1375

Barnes S E: The Kondo effect in the dynamics of localized moments in metals F1713

Bar-Sagi J: Calculation of thermal conductivity produced by the proximity effect F1669

Bass J: *see* Thaler J F2315

Bassett M and Beaglehole D: Optical studies of dilute AuNi alloys F1211

Battilana J A: *see* Hook J R F1689

Bausch R: *see* Pick M A F1751

Beaglehole D: *see* Bassett M F1211

Beauchamp P: A method for handling long range oscillatory potentials in the study of planar defects FL63

Beille J and Tournier R: Critical pressure effects in PdNi alloys F621

Belakhovsky M: *see* Schmitt D F789

Belakhovsky M: *see* Tannous C F2091

Bennemann K H: *see* Ghatak S K F1441

Bennemann K H: The magnetic properties of liquid transition metals and rare earth metals F43

Bennett L H: *see* Swartzendruber L J FL331

Bernier P and Alloul H: ^{63}Cu spin-lattice relaxation in Cu-based dilute magnetic alloys at low field F1193

Bertoni C M, Bisi O, Calandra C, Nizzoli F and Santoro G: sp–d hybridization effects on the electronic structure of the (100) surface in copper FL41

Bevk J: *see* Mizutani U F1

Bhatia A B and Ratti V K: Partial structure factors and neutron scattering in compound-forming molten alloys F927

Bhattacharya A K: *see* Brauwers M F209

Birnboim A and Gutfreund H: Comparison of resonance and tight-binding description of the electron–phonon coupling in transition metals F234

Bisi O: *see* Bertoni C M FL41

Blaauw C: *see* Leiper W F2191

Bleasdale P A and Martin J W: Thermodynamics of point defects in dilute alloys: far-from-random distributions in an exactly solvable model F1617

Bloch J M, Davidov D, Felner I and Shaltiel D: Electron spin resonance of Gd in metallic Van-Vleck beryllides F1979

Blomberg C: *see* Geldart D J W F1953

Blomberg C: *see* Malmström G F233

Boato G, Cantini P and Tatarek R: Diffraction of He and H_2 molecular beams from a low temperature metal surface FL237

Bongi G H: Charge transfer: an alternative way to describe the superconducting properties of the A-15 structure F1535

Böning K: *see* Welter J M F1113

Böning K: *see* Wehr G F2133

Bonnelle C: *see* Hague C F F899

Booth J G: *see* Cywinski R FL75

Bortolani V and Giunchi G: The model potential for Zn and Cd F1269
Bosacchi B and Franzosi P: A new Fourier series representation for the Fermi surface of the noble metals FL99
ten Bosch A: Hopping conduction in disordered systems FL253
Boughton R I: *see* Polick J J FL177
Boughton R I: *see* Polick J J FL235
Bourassa R R and Lengeler B: The formation and migration energies of vacancies in quenched copper F1405
Brauwers M, Bhattacharya A K and Brouers F: Electrical conductivity of a two s–d band alloy model: effect of off-diagonal disorder F209
Brauwers M and Brouers F: Temperature and strain effect on electrical resistivity of transition metal alloys: application to strain gauges F1331
Brenner K G E and Demel O K: *Corrigendum to* Porous surface layers resulting from evaporation of zinc in α–Ag–Zn solid solutions (published 1975) F1231
Brettell J M and Hinshaw W S: Nuclear magnetic resonance of aluminium in intermetallic compounds of Ni-rich β-AlNi F1177
Brouers F: *see* Brauwers M F209
Brouers F: *see* Brauwers M F1331
Brouers F: *see* Giner J F1281
Brown C R: *see* Jacobs J K F2219
Burgardt P: *see* Gschneidner Jr K A FL49
Burgardt P: *see* Liu S H FL55
Buyers W J L: *see* Kim S M FL67

Calandra C: *see* Bertoni C M FL41
Cameron J A: *see* Campbell C C M FL221
Campbell C C M and Cameron J A: Negative hyperfine field at Cd impurity sites in the Heusler alloy Pd_2MnSb FL221
Campbell I A: *see* Fert A F849
Campbell I A: *see* Le Dang Khoi FL197
Campbell S J, Clark P E and Hicks T J: A Mössbauer study of the magnetic properties of CuFe alloys F249
Cantini P: *see* Boato G FL237
Carbotte J P: *see* White B F1103
Carter G C: *see* P J Segransan FL153
Cartledge G, Havill R L and Titman J M: Quadrupole nuclear spin relaxation in liquid gallium alloys F639
Caudron R: *see* Amamou A F2371
Chabre Y: *see* Segransan P J FL153
Chandra G: *see* Ray J F265
Chaplin D H: *see* Colley M G F131
Charles M, Mairy C, Hillairet J and Lévy V: Trempes d'or sous hautes pression d'hélium: Effet de la dissolution du gaz rare sur la mesure du volume de formation des lacunes F979
de Châtel P F and Robinson G G: Formation energy of heterovalent alloys FL173
Chetal A R: *see* Sarode P R FL163
Chiu J C H and Devine R A B: Optical phonons and density of states variations in Pd–H_x FL33
Chiu L B: *see* Nguyên Thân-Trong F1399
Chornik B, Kiwi M and Zuckermann M J: Theory of nuclear magnetic relaxation in nickel-based alloys F2419
Chung Y and Lowndes D H: de Haas–van Alphen study of conduction electron scattering and impurity screening for dilute Co impurities in Au F199
Clark P E: *see* Campbell S J F249
Clark W G: *see* Segransan P J FL153
Cochran J F: *see* McAlister S P F1415
Cohen S S, Klein M L, Duesbery M S and Taylor R: Correction to a previous pseudopotential calculation of the elastic constants of sodium FL271
Cohen S S, Klein M L, Duesbery M S and Taylor R: A computer simulation of thermodynamic properties of solid Na F337
Coles B R: *see* Murani A P F425
Colley M G, Chaplin D H, Swan D E and Wilson G V H: Hyperfine interaction of scandium nuclei in gadolinium F131
Cooper J R and Miljak M: Single impurity behaviour and interaction effects in the magnetic susceptibility of AlMn and AlCr alloys F2151
Corner W D: *see* Amighian J FL309
Cosier J: *see* Hill R W F1731
Costa P: *see* Amamou A F2371
Cox B N and Lloyd P: A spherical cell model of cerium F797
Cranshaw T E and Mercader R C: The electric field gradient produced in iron by trigonal and tetragonal distortions F2129
Crone J: *see* Schilling J S F2097
Crozier E D: *see* McAlister S P F1415
Curelaru I: *see* Kanski J F1073
Cusack S, March N H, Parrinello M and Tosi M P: Electron–electron pair correlation function in solid and molten nearly-free electron metals F749
Cutler P H: *see* Day R S FL137
Cutler P H: *see* Day R S FL297
Cutler P H: *see* Sun F FL1
Cyrot M and Cyrot-Lackmann F: Energy of formation of binary transitional alloys F2257
Cyrot-Lackmann F: *see* Cyrot M F2257
Cyrot-Lackmann F: *see* Desjonquères M C F567
Cywinski R and Booth J G: The structural and magnetic properties of $Co_2Ga_{2-x}T_x$ alloys where T = V and Cr FL75

Dagens L: The resonant model potential form factor: general theory and application to copper, silver and calcium F1801

Datars W R: *see* Altounian Z F1297
Davidov D: *see* Bloch J M F1979
Day R: *see* Sun F FL1
Day R S, Sun F and Cutler P H: Normalization of the single OPW conduction electron states in first principles pseudopotential calculations of phonon spectra FL297
Day R S, Sun F, Cutler P H and King III W F: On the use of proper energy eigenvalues in first principles pseudopotential calculations of phonon spectra FL137
Demel O K: *see* Brenner K G E F1231
Desjonquères M C and Cyrot-Lackmann F: On the surface states of Mo and W F567
Devanthan V: *see* Iyakutti K F1639
Devine R A B: *see* Chiu J C H FL33
Dixon J M *see* Keller G F819
Dobbs E R: *see* Lyall K R F807
Dolling G: *see* Meyer J F943
Dolling G: *see* Meyer J F1899
Doyama M: *see* Fukushima H F677
Doyama M: *see* Fukushima H F1845
Doyama M: *see* Fukushima H F2023
Drchal V and Kudrnovský J: The coherent pseudopotential approximation F2247
Drijver J W, Sinnema S G and van der Woude F: Magnetic properties of hexagonal and cubic Fe_3Ge F2165
Dublon G and Weger M: Possible phase change in paramagnetic $ZrZn_2$ FL249
Ducastelle F and Gautier F: Generalized perturbation theory in disordered transitional alloys: Application to the calculation of ordering energies F2039
Duesbery M S: *see* Cohen S S FL271
Duesbery M S: *see* Cohen S S F337
Dufour G: *see* Hague C F F899
Durand J and Lapierre M F: NMR of ^{59}Co in amorphous CoP alloys F1185
Dworschak F, Monsau Th and Wollenberger H: Impurity–interstitial interaction in electron-irradiated aluminium F2207
Dynes R C and Varma C M: Superconductivity and electronic density of states FL215

Edwards D M: The temperature dependence of hyperfine fields in transition metals and alloys FL185
Edwards D M: The quasi-two-dimensional character of ferromagnetism in face centred cubic transition metals FL289
Edwards D M and Hill D J: Theory of the spin wave stiffness constant in ferromagnetic transition metal alloys F607
Edwards S F: The ground state of a spin glass F1923
Edwards S F and Anderson P W: Theory of spin glasses: II F1927
Eldrup M, Mogensen O E and Evans J H: A positron annihilation study of the annealing of electron irradiated molybdenum F499
Elliston P R: *see* Nguyên Thân-Trong F1399
Ertl G: *see* Wandelt K F1607
Evans J H: *see* Eldrup M F499
Evans R: *see* Güntherodt H-J F1513
Evans R and Finnis M W: Vacancy formation energies and linear screening theory F483
Evers J: *see* Güntherodt H-J F1513

Felner I: *see* Bloch J M F1979
Fenton E W: The de Haas–van Alphen effect in Kondo systems F363
Fenton E W: The single-Q state of chromium F2403
Fenzl H J: *see* Welter J-M F1113
Fert A and Campbell I A: Electrical resistivity of ferromagnetic nickel and iron based alloys F849
Field D W: Mean square vibration amplitudes in indium FL135
Finlayson T R: *see* Smith T F F709
Finnis M W: *see* Evans R F483
Finnis M W and Sachdev M: Vacancy formation volumes in simple metals F965
Flores F: *see* Tejedor C F1647
Ford P J and Schilling J S: Pressure dependence of the resistivity of MoFe—a spin glass FL285
Franse J J M: *see* Kortekaas T F M F1161
Franzosi P: *see* Bosacchi B FL99
Friedt J M: *see* Amamou A F2371
Fukase S and Satoh T: Solubilities of rare gases in liquid sodium and Faber's formula for vacancy formation energies F1233
Fukushima H and Doyama M: The formation energies of a vacancy in pure Cu, Cu–Si, Cu–Ga and Cu–γMn solid solutions by positron annihilation F677
Fukushima H and Doyama M: *Corrigendum to* The formation energies of a vacancy in pure Cu, Cu–Si, Cu–Gu and Cu–γMn solid solutions by positron annihilation F2037
Fukushima H, Sugiura J and Doyama M: Positron annihilation study of ordering in CuAu F1845
Furusawa A: *see* Tamaki S F2009

Gardner W E: *see* Taylor R H F1125
Garrett D G and Swihart J C: Third-order perturbation theory and exchange and correlation in the lattice dynamics of indium F1781
Gautier F: *see* Amamou A F2371
Gautier F: *see* Ducastelle F F2039
Gautier F: *see* Giner J F1281

Gautier F, Moraitis G and Parlebas J C: Energy of formation for dilute alloys with transitional impurities F381
Geldart D J W: *see* Malmström G F233
Geldart D J W: *see* Malmström G F1953
Gérard A: *see* Grandjean F F451
Ghatak S K, Avignon M and Bennemann K H: Alloy-analogy treatment of valence transition in rare-earth systems F1441
Gilberd P W: *see* Kaiser A B FL209
Glyde H R: *see* Meyer J F943
Glyde H R: *see* Taylor R T F1915
Giner J, Brouers F, Gautier F and van der Rest J: Charge transfer and ordering energy in a model binary alloy F1281
Girt E: *see* Očko M F703
Giunchi G: *see* Bortolani V F1269
Goeltz G: *see* Murani A P F425
Gohel V B: *see* Jani A R FL25
Goodrich R G: *see* Johnson P B FL107
Gottlieb D and Halpern V: The electrical conductivity of very thin metal films F2333
Gourdon J C: *see* Vigouroux B F1575
Grandjean F and Gérard A: Study by Mössbauer spectroscopy of the series of perovskite carbides $M_3M'C$ with M = Fe or Mn and M' = Al, Ga, Ge, Zn, Sn F451
Greig D, Lawson G M, Martin M F and Morris L K E: The Hall coefficient for isotropic electron scattering FL281
de Groot D G: *see* Hoff A B M FL141
Grünewald G: Inclusion of force constant and mass disorder in a self-consistent theory of phonons in high concentration alloys F999
Gschneidner Jr K A: *see* Liu S H FL55
Gschneidner Jr K A, Burgardt P, Legvold S, Moorman J O, Vyrostek T A and Stassis C: Kondo scattering in a pure metal—β cerium: I. Experimental FL49
Gunnarsson O: Band model for magnetism of transition metals in the spin-density-functional formalism F587
Güntherodt H-J, Hauser E, Künzi H U, Evans R, Evers J and Kaldis E: Negative temperature coefficients of electrical resistivity: the divalent liquid metals Eu, Yb and Ba F1513
Gutfreund H: *see* Birnboim A F2341

Hafner J: Comment on 'On a more exact treatment of the conduction electron potential in first principles calculations of lattice dynamics of metals' FL201
Hafner J: Structural, thermochemical and thermomechanical properties of binary alloys F1243
Hague C F, Källne E, Mariot J M, Dufour G, Karnatak R C and Bonnelle C: Soft x ray and photoelectron spectra of ordered and disordered Ni_3Fe alloys F899
Hahn H: *see* Michler E FL319
Halpern V: *see* Gottlieb D F2333
Hansen P and Lebech B: The magnetic structure of Tb–Tm alloys studied by neutron diffraction F2179
Harris I R: *see* Taylor R H F1125
Hasegawa M: *see* Suzuki T F779
Hasegawa M: Third-order perturbation theory and structures of liquid metals: sodium and potassium F649
Hasegawa M: On the observed positron effective mass in alkali metals F1433
Hasselberg L E: The dependence of the photoassisted field emission on the dielectric functions F469
Havill R L: *see* Cartledge G F639
Hausch G: Low temperature acoustic relaxation effect in FeNi and FePt invar alloys F1015
Hauser E: *see* Güntherodt H-J F1513
Heber G: *see* Müske H F1353
Heimann P and Neddermeyer H: Directional photoemission from (100), (110) and (111) faces of nickel FL257
Hemming D: *see* Thomas M H B FL83
Hennion B: *see* Hennion M FL303
Hennion M, Hennion B, Nauciel-Bloch M and Riedinger R: On the spin-wave exchange stiffness constant in ferromagnetic transition metal alloys FL303
Hensel F: *see* Overhof H F523
Herring C P: The flux lattice in a deformed type II superconductor F99
Hicks T J: *see* Campbell S J F249
Hill D J: *see* Edwards D M F607
Hill H H: *see* Kmetko E A F1025
Hill R W, Cosier J and Hukin D A: The specific heats of Ho, HoAg and LaAg from 0·8 to 4 K F1731
Hillairet J: *see* Charles M F979
Hinshaw W S: *see* Brettell J M F1177
Hirabayashi M: *see* Suzuki T F779
Hisscott L A: *see* Richardson D FL127
Hlaing Tin: *see* Rice-Evans P F1079
Ho S, Williams G and Ström-Olsen J O: Deviations from Mattheissen's rule at low temperatures in PtTi alloys F1325
Hodges C H: *see* Nieminen R M F573
Hoff A B M, de Groot D G and Randles D L: Anisotropy of electron–phonon scattering rate on the Fermi surface of indium FL141
Holden T M: Temperature dependence of magnetic excitations in Pd_3Fe F433
Holtham P M: A pseudopotential model for indium F1457
Holtham P M and Parsons D: Dilute indium alloys: Measurement and calculation of Fermi surface changes F1481
Hood G M: The mechanisms of diffusion in the anomalous bcc metals F19

Hook J R and Battilana J A: Experimental test of proximity effect theories by surface impedance measurements on the Pb–Sn system F1689
Howe L M: *see* Swanson M L F1629
Huguenin R: *see* Acker F FL147
Huijben M J and van der Lugt W: The static structure factor of liquid caesium FL225
Hukin D A: *see* Hill R W F1731
Hunderi O: Optical properties of metallic calcium F1223
Hurd C M: *see* Cohen S S FL275

Ibel K: *see* Murani A P F425
Inglesfield J E: Adhesion between Al slabs and mechanical properties F687
Ishida Y: *see* Yonezawa F F1091
Ivowi U M O and Mackinnon L: Ultrasonic quantum oscillations and the Fermi surface of lead F329
Iyakutti K, Majumdar C K, Rao R S and Devanathan V: Effect of correlation on the bandstructure of zirconium F1639

Jacobs J K, Brown C R, Pavlov V S and Manchester F D: The '50 K' transition in palladium hydrogen alloys: I. Internal friction F2219
Jani A R and Gohel V B: On the phonon dispersion in tungsten FL25
Jankowska J: *see* Mikke K F631
Jarlborg T and Arbman G: The LMTO band method applied to V_3Ga F189
Jenkin J G: *see* Riley J D F293
Jensen J: Molecular field calculation of the magnetic structure in erbium F1145
Jesser R and Vincze I: Magnetic properties of Be_xFe_{1-x} compounds near to Be_2Fe F1567
Johnson C E: *see* Rush J D F2017
Johnson P B and Goodrich R G: Tilted field radio frequency size effect measurements on copper FL107
Jones D W: *see* Wells P F11
Jones D W: *see* Young R C FL37
Jordan R G: *see* Wells P F11
Jordan R G: *see* Young R C FL37
Joshi S K: *see* Prasad R F889
Joshi S K: *see* Singh G S FL313

Kaiser A B and Gilberd P W: Impurity density of states of dilute CuNi alloys FL209
Kaldis E: *see* Güntherodt H-J F1513
Källne E: *see* Hague C F F899
Kalus J: *see* Meyer J F1899
Kamiguchi S: *see* Takahashi Y F2389
van Kampen F F: *see* Winsemius P F1583
Kanematsu K: *see* Misawa S F2119
Kanski J, Nilsson P O and Curelaru I: Studies of the 4f states in lanthanum by means of electron and photon excited appearance potential spectroscopy F1073
Karnatak R C: *see* Hague C F F899
Kato T and Mathon J: The absence of critical concentration for ferromagnetism in disordered PdNi-type alloys F221
Kato T and Mathon J: A phenomenological theory of disordered ferromagnetic PdNi-type alloys F1341
Kaveh M: New empirical form factor for the alkali metals: sodium and potassium F181
Kaveh M and Swiatlo Z: Volume and temperature dependence of the phonon frequencies of cubic metals F2233
Kay P and Reissland J A: Self-consistency in calculations of the electronic band structure and the lattice dynamics of metals F1503
Keller G and Dixon J M: Crystalline electric fields in dilute alloys: Y–Er F819
Kerker G: Theory for d electrons at the surface of disordered transiton-metal alloys FL113
Kesternich W, Ullmaier H and Schilling W: Influence of Fermi surface and defect structure of the low-field galvanomagnetic properties of Al F1867
Kim S M and Buyers W J L: Electron–positron momentum distribution in cadmium: evidence for self-trapped positrons below the vacancy trapping region FL67
King III W F: *see* Day R S FL137
King III W F: *see* Sun F FL1
Kiwi M: *see* Chornik B F2419
Klein B M and Papaconstantopoulos D A: On calculating the electron–phonon mass enhancement λ for compounds F1135
Klein M L: *see* Cohen S S FL271
Klein M L: *see* Cohen S S F337
Kmetko E A and Hill H H: Anomalous melting of f electron metals (with attention to Pu) F1025
Kollár J: *see* Poulsen U K FL241
Kortekaas T F M and Franse J J M: Volume magnetostriction in Ni_3Al and Ni–Pt alloys and its interpretation in the band model of magnetism F1161
Kozarzewski B: On the universal curve for resistivity in dilute magnetic alloys FL7
Krsnik R: *see* Babić E F73
Krsnik R: *see* Očko M F703
Kudrnovský J: *see* Drchal V F2247
Kukkonen C A and Maldague P F: The electrical resistivity of bismuth: electron–hole scattering FL301
Kumar D, Mookerjee A and Kumar V: Surface segregation in random alloys F725
Kumar V: *see* Kumar D F725
Kummer B: *see* Scharnberg K F349

Künzi H U: *see* Güntherodt H-J F1513
Kus F W: Electronic thermal resistivity of potassium and lithium F59

Lanchbury M D and Saunders N H: Critical behaviour in the transport properties of pure iron F1967
Lanchester P C: *see* Wells P F11
Lapierre M F: *see* Durand J F1185
Laubitz M J: *see* Leavens C R F1851
Lawson G M: *see* Greig D FL281
Leavens C R and Laubitz M J: Anisotropy correction to the electrical resistivity of ideally pure potassium F1851
Lebech B: *see* Hansen P F2179
Leckey R C G: *see* Riley J D F293
Le Dang Khoi, Veillet P and Campbell I A: NMR and orbital moments on magnetic impurities in Pd FL197
Legvold S: *see* Gschneidner Jr K A FL49
Legvold S: *see* Liu S H FL55
Leiper W, Blaauw C, Mackay G R and Woodhams F W D: Mössbauer determination of the gold hyperfine field in the Heusler alloy Au_2MnAl F2191
Lengeler B: *see* Bourassa R R F1405
Lengkeek H P: *see* Winsemius P F1583
Leontić: *see* Očko M F703
Leung C H, McMullen T and Stott M J: Can positrons self-trap in metals? F1063
Leung C H, Stott M J and Young W H: Thermodynamic properties of solid alloys: application to Mg_xCd_{1-x} F1039
Lévy V: *see* Charles M F979
Liesegang J: *see* Riley J D F293
Lis S A and Naumann R A: TDPAC studies of ^{111}Cd in Bi and In_2Bi F2307
Liu S H, Burgardt P, Gschneidner Jr K A and Legvold S: Kondo scattering in a pure metal—β cerium: II. Theoretical FL55
Lloyd P: *see* Cox B N F797
Lodder A: *see* Rijsenbrij D B B F1053
Lodder A: Electron–impurity scattering in dilute alloys with lattice distortion: I. General theory F1885
Lodge K W: Theory of electric field gradients in metals F1989
Loegel B: *see* Amamou A F2371
Lowndes D H: *see* Chung Y F199
van der Lugt W: *see* Huijben M J FL225
Lyall K R, Meredith D J and Dobbs E R: Microwave acoustic studies of the superconducting transition in aluminium F807

Maartense I and Williams G: Onset of magnetic order in the giant moment system PdCo FL121
Maartense I and Williams G: AC susceptibility of the exchange enhanced system Co in $(Pd_{93}Rh_7)$ F2363
Mackay G R: *see* Leiper W F2191
Mackinnon L: *see* Ivowi U M O F329
Mairy C: *see* Charles M F979
Majumdar C K: *see* Iyakutti K F1639
Maksymowicz A Z: Coherent potential approximation for partially ordered alloys F1705
Maldague P F: *see* Kukkonen C A FL301
Malmström G, Geldart D J W and Blomberg C: Interaction between local magnetic moments in metals: I F233
Malmström G, Geldart D J W and Blomberg C: Interaction between local magnetic moments in metals: II F1953
Manchester F D: *see* Jacobs J K F2219
March N H: *see* Cusack S F749
Mariot J M: *see* Hague C F F899
Martin J W: *see* Bleasdale P A F1617
Martin M F: *see* Greig D FL281
Martino F: *see* Yonezawa F F739
Martino F: *see* Yonezawa F F1091
Marvin A, Stella A L and Toigo F: Hamiltonian treatment of optical emission from irradiated metals F909
Massalski T B: *see* Mizutani U F1
Mathon J: *see* Kato T F221
Mathon J: *see* Kato T F1341
McAlister S P: *see* Alderson J E A FL275
McAlister S P, Crozier E D and Cochran J F: The effect of isotopic mass on the velocity of sound in liquid Li F1415
McCauley G P and Thouless D J: Evaluation of an integral in the theory of fluctuation free energy in terms of Euler paths round a graph F109
McLaren R E: Theory of the cohesive energy of simple metals F767
McMullen T: On the strength of the positron–phonon interaction in metals FL323
McMullen T: *see* Leung C H F1063
Mercader R C: *see* Cranshaw T E F2129
Meredith D J: *see* Lyall K R F807
Metzger H, Peisl J and Wanagel J: Huang diffuse scattering of x rays from the displacement of field of hydrogen in niobium F2195
Meyer J, Dolling G, Kalus J, Vettier C and Paureau J: Mode Grüneisen parameters in potassium: I F1899
Meyer J, Dolling G, Scherm R and Glyde H R: Anharmonic interference effects in potassium F943
Mezei F: *see* Murani A P F425
Michler E, Hahn H and Schofield P: Monte Carlo calculation of the pair correlation function of liquid aluminium with a pseudopotential satisfying the compressibility sum rule FL319

Mikke K, Jankowska J and Modrzejewski A: Spin waves in FCC Ni–Fe alloys F631
Miljak M: *see* Cooper J R F2151
Minnhagen P: Increased phonon broadening of XPS lines of metals due to finite core-hole lifetime F1789
Misawa S and Kanematsu K: Susceptibility maximum and Fermi-liquid effect in 4d and 5d transition metals F2119
Mizutani U, Massalski T B and Bevk J: Low temperature specific heats in dilute Pd–H alloys F1
Modrzejewski A: *see* Mikke K F631
Mogensen O E: *see* Eldrup M F499
Mojumder M A: Resonance (ferromagnetic and paramagnetic) and antiresonance in $Gd_{0.61}Y_{0.39}$ crystal FL79
Monsau Th: *see* Dworschak F F2207
Mookerjee A: *see* Kumar D F725
Moore I D: Friedel oscillations about an impurity near a metal surface FL71
Moorman J O: *see* Gschneidner Jr K A FL49
Moraitis G: *see* Gautier F F381
Mori G: *see* Yoshioki S F1743
Mori G: Contribution of multi-ion interactions to vacancy formation energies for metals estimated using the asymptotic approximation FL21
Morin P: *see* Aleonard R F1361
Morisseau D: Etude par ultrasons des propriétés du gallium supraconducteur F1553
Morris L K E: *see* Greig D FL281
Murani A P, Roth S, Radhakrishna P, Rainford B D, Coles B R, Ibel K, Goeltz G and Mezei F: Small angle critical neutron scattering and the onset of ferromagnetism in Au–Fe alloys F425
Muscat J P: Effects of finiteness of the potential barrier height on the surface spin susceptibility of paramagnetic metals FL117
Muscat J P: Free electron calculation of the surface magnetization of paramagnetic metals FL231
Müske H and Heber G: Some comments on the theory of spin glasses F1353
Myers A: *see* Sang D F545
Myers H P: The optical absorption spectrum of gadolinium F141
Myers H P and Sixtensson P: The optical absorption spectrum of lithium metal F2023

Nagi A D S: *see* Shukla R C F1765
Nagi A D S and Upadhyaya U N: The Josephson tunnel effect in superconducting alloys described by the Anderson model F2353
Nakamura F, Ogasawara K and Takamura J: Deviations from Matthiessen's rule due to vacancies in pure gold and gold–silver dilute alloys FL11
Nauciel-Bloch M: *see* Hennion M FL303
Naumann R A: *see* Lis S A F2307
Neddermeyer H: *see* Heimann P FL257
Nguyên Thân-Trong, Chiu L B, Elliston P R, Stewart A M and Taylor K N R: Electron spin resonance of $Gd_{1-x}Dy_xAl_2$ F1399
Nieminen R M and Hodges C H: Pressure cell-boundary relation, Fermi levels and surface dipoles for transition metals F573
Nilsson P O: *see* Kanski J F1073
Nizzoli F: *see* Bertoni C M FL41
Norris C and Williams G P: Application of the f-sum rule to UPS spectra in silver FL167
Norris C and Wotherspoon J T M: Photoemission measurements of liquid bismuth FL263

Očko M: *see* Babić E F73
Očko M, Babić E, Krsnik R, Girt E and Leontić B: Some properties of AlSc solid sslutions F703
Ogasawara K: *see* Nakamura F FL11
Opsal J L and Wagner D K: Low temperature electron diffusion magnetothermopower of aluminium: II. Theory F2323
Okazaki H: *see* Tamaki S F2009
Overhof H, Uchtmann H and Hensel F: Band theoretical study of the optical gap in expanded fluid mercury F523

Papaconstantopoulos D A: *see* Klein B M F1135
Papastaikoudis C, Papathanasopoulous K and Rocofyllou E: Deviation from Matthiessen's rule in aluminium–zinc alloys F409
Papathanasopoulous K: *see* Papastaikoudis C F409
Papavassiliou G C: Surface plasmons in small Au–Ag alloy particles FL103
Parlebas J C: *see* Gautier F F381
Parrinello M: *see* Cusack S F749
Parsons D: *see* Holtham P M F1481
Pauli R: *see* Stedman R F757
Paureau J: *see* Meyer J F1899
Pavlov V S *see* Jacobs J K F2219
Peisl J: *see* Metzger H F2195
Perdew J P and Vosko S H: Phonon frequencies of lithium from a local effective potential F1421
Pescia J: *see* Vigouroux B F1575
Pfeiffer G and Wipf H: The trapping of hydrogen in niobium by nitrogen interstitials F167
Pfeiler W, Siebinger K and Trieb L: Low dose damage rate of Al foils irradiated with α particles F985
Pick M A and Bausch R: The determination of the force-dipole tensor of hydrogen in niobium F1751
Piercy G R: *see* White B F1103
Pierre J: *see* Aleonard R F1361
Pierre J: *see* Schmitt D F789

Plefka T: Internal field distribution for spin glasses FL327
du Plessis P de V: Elastic constants of single crystal erbium F873
Poerschke R and Wollenberger H: Kinetics of interstitialcy diffusion in electron-irradiated Cu–Ni alloys F27
Pokorny M and Åström H U: Temperature dependence of the electrical resistivity of liquid gallium between its freezing point (29·75°C) and 752°C F559
Polick J J and Boughton R I: Evidence for a 'dirty' limit in the resistivity of dilute gallium-based alloys FL177
Polick J J and Boughton R I: *Corrigendum to* Evidence for a 'dirty' limit in the resistivity of dilute gallium-based alloys FL235
Poole R T: *see* Riley J D F293
Popović Z: *see* White B F1103
Poulsen U K, Kollár J and Andersen O K: Magnetic and cohesive properties from canonical bands FL241
Prasad R, Auluck S and Joshi S K: Wavevector dependent susceptibility and dielectric function for paramagnetic nickel F889
Priestley M G: *see* Thomas M H B FL83

Quenneville A F: *see* Swanson M L F1629

Radhakrishna P: *see* Murani A P F425
Rainford B D: *see* Murani A P F425
Randles D L: *see* Hoff A B M FL141
Randles D L and Springford M: de Haas–van Alphen effect in alkali metal dispersions and the Fermi surface of lithium F1827
Rao R S: *see* Iyakutti K F1639
Ratti V K: *see* Bhatia A B F927
Ray D K: *see* Tannous C F2091
Ray J, Chandra G and Bansal C: Distribution of ^{57}Fe hyperfine fields in Ni–Mn alloys—a Mössbauer effect study F265
Rees D B: *see* Rice-Evans P F1079
Reissland J A: *see* Kay P F1503
van der Rest J: *see* Giner J F1281
Rice-Evans P, Hlaing Tin and Rees D B: Positron annihilation of the production of vacancies in copper F1079
Richardson D and Hisscott L A: Many-electron structure in the XPS spectra of some transition metals and alloys FL127
Richter D, Töpler J and Springer T: The influence of dissolved nitrogen on hydrogen diffusion in niobium studied by neutron spectroscopy FL93
Rickayzen G: *see* Thackray G J F1679
Riedinger R: *see* Hennion M FL303
Rijsenbrij D B B and Lodder A: A cluster description of a perfect crystal F1053
Riley J D, Leckey R C G, Jenkin J G, Liesegang J and Poole R T: Ultraviolet photoelectron spectra of the outer d bands of Ag–In and Ag–Cd alloys F293
Rivlin G: *see* Waghorne R M F147
Robrock K-H and Schilling W: Diaelastic modulus change of aluminium after low temperature electron irradiation F303
Robinson G G: *see* de Châtel P F FL173
Rocofyllou E: *see* Papastaikoudis C F409
Roger W A, Rowlands J A and Woods S B: The Fermi surface of white tin using ultrasonic quantum oscillations F315
Roger W A and Woods S B: Cyclotron effective masses in white tin F2289
Rosenthal M D and Wagner D K: The electron–phonon mean free path in potassium: a comparative study of radio frequency size effect measurement techniques F413
Roth L M: Further analysis of effective medium approximation for a tight-binding model of a liquid metal F2269
Roth S: *see* Murani A P F425
Rowlands J A: *see* Roger W A F315
Ruggeri G J and Thouless D J: Perturbation series for the critical behaviour of type II superconductors near H_{c2} F2063
Rumbo E R: Transport properties of very pure copper and silver below 8·5 K F85
Rush J D, Johnson C E and Thomas M F: A Mössbauer study of magnetic order in HCP iron–ruthenium alloys F2017

Sachdev M: *see* Finnis M W F965
Sang D and Myers A: Measurements of electron lifetimes in silver–transition metal alloys F545
Santoro G: *see* Bertoni C M FL41
Sarode P R and Chetal A R: X ray spectroscopic study of some RCo_5 compounds FL163
Satoh T: *see* Fukase S F1233
Saunders N H: *see* Lanchbury M D F1967
Sayers C M: Screening of non-transition element impurities in iron F1939
Scharnberg K and Kummer B: Absorption of Rayleigh waves in metals F349
Scherm R: *see* Meyer J F943
Schilling J S: *see* Ford P J FL285
Schilling J S and Crone J: Electrical resistivity of dilute magnetic α-phase Cu–Al (Fe) alloys: charge screening of Al ions in a Cu host F2097
Schilling W: *see* Kesternich W F1867
Schilling W: *see* Robrock K-H F303
Schirmacher W: Correction of the expression for the electric field gradient in the theory of quadrupolar relaxation in liquid metals FL157
Schmitt D: *see* Aleonard R F1361

Thaler B J and Bass J: Low temperature electron diffusion magnetothermopower of aluminium: I. Experiment F2315
Thomas L K and Thurm S: Optical properties of Ta–W–Re alloys from 0·5 to 5eV F279
Thomas M F: *see* Rush J D F2017
Thomas M H B, Priestley M G and Hemming D: Magnetoreflection of antimony for circularly polarized radiation FL83
Thouless D J: *see* McCauley G P F109
Thouless D J: *see* Ruggeri G J F2063
Thurm S: *see* Thomas L K F279
Timms W E and Walmsley D G: Magnetic and resistive behaviour of a superconducting Nb–54 at%Ta cylinder F2107
Titman J M: *see* Cartledge G F639
Toigo F: *see* Marvin A F909
Töpler J: *see* Richter D FL93
Tosi M P: *see* Cusack S F749
Tournier R: *see* Beille J F621
Trieb L: *see* Pfeiler W F985
Tsuchiya Y: *see* Tamaki S F2009

Uchtmann H: *see* Overhof H F523
Ullmaier H: *see* Kesternich W F1867
Upadhayaya U N: *see* Nagi A D S F2353

Varma C M: *see* Dynes R C FL215
Veillet P: *see* Le Dang Khoi FL197
Vettier C: *see* Meyer J F1899
Vigouroux B, Gourdon J C and Pescia J: CESR observations using an anplitude-modulated microwave field F1575
Vincze I: *see* Jesser R F1567
Viswanathan K S and Sekhar R: Helicon–phonon interaction for oblique propagation in metals F993
Vosko S H: *see* Perdew J P F1421
Vyrostek T A: *see* Gschneidner Jr K A FL49

Waghorne R M, Rivlin V G and Williams G I: Structures of liquid alloys of the Au–Si and Au–Ge systems F147
Wagner D K: *see* Opsal J L F2323
Wagner D K: *see* Rosenthal M D F413
Walker L R: *see* Wertheim G K F2297
Walmsley D G: *see* Timms W E F2107
Wanagel J: *see* Metzger H F2195
Wandelt K and Ertl G: Appearance potential spectroscopy studies with Fe/Ni alloys F1607
Waseda Y: *see* Tamaki S FL89
Watson R E: *see* Swartzendruber L J FL331
Weger M: *see* Dublon G FL249
Wehr G, Sieber G and Böning K: The influence of Frenkel defects on the anomalous resistivity and thermopower of dilute CuCr alloys F2133
Wells P, Lanchester P C, Jones D W and Jordan R G: The low temperature heat capacities of Tb, Lu and Y F11
Welter J-M, Fenzl H J and Böning K: A simple formula for the low-field longitudinal magnetoresistance: application to experiments performed on copper F1113
van Went C G: *see* Winsemius P F1583
Wertheim G K and Walker L R: Many-body effects in transition metals: role of the density of states F2297
West R N: *see* Singh K P FL267
White B, Popović Z, Carbotte J P and Piercy G R: An estimate of the effect of lattice relaxation on deviations from Matthiessen's rule in potassium F1103
Whitmore M D: Helium heat of solution in Al and Mg using non-linear self-consistent screening of the nucleus F1259
Williams G: *see* Ho S FL325
Williams G: *see* Maartense I FL121
Williams G: *see* Maartense I F2363
Williams G I: *see* Waghorne R M F147
Williams G P: *see* Norris C FL167
Wilson G V H: *see* Colley M G F131
Winsemius P, van Kampen F F, Lengkeek H P and van Went C G: Temperature dependence of the optical properties of Au, Ag and Cu F1583
Wipf H: *see* Pfeiffer G F167
Wohlfarth E P: The influence of ferromagnetism on the bulk, shear and Young's moduli of alloys FL59
Wollenberger H: *see* Dworschak F F2207
Wollenberger H: *see* Poerschke R F27
Woodhams F W D *see* Leiper W F2191
Woods S B: *see* Roger W A F315
Woods S B: *see* Roger W A F2289
Wotherspoon J T M: *see* Norris C FL263
van der Woude F: *see* Drijver J W F2165

Yonezawa F, Ishida Y and Martino F: The effect of non-orthogonality and previously neglected diagonal terms in the tight-binding approximation for the electronic structure of liquid metals and alloys F1091
Yonezawa F and Martino F: Multi-band electronic structure of non-simple liquid and amorphous metals and their alloys F739
Yoshioki S: The lattice distortion around the divacancy in cubic metals using the method of lattice statics F957
Yoshioki S and Mori G: Perturbative calculations of vacancy formation energies for metals—contribution from the third-order term F1743
Young R C, Jordan R G and Jones D W: Magnetoresistance of gadolinium FL37

Schmitt D, Pierre J and Belakhovsky M: Electronic structure of YMg cubic compound by the self-consistent SAPW method F789
Schofield P: *see* Michler E FL319
Segransan P J, Clark W G, Chabre Y and Carter G C: The Knight shift and nuclear spin relaxation of ^{61}Ni metal in the paramagnetic phase FL153
Sekhar R: *see* Viswanathan K S F993
Shaltiel D: *see* Bloch J M F1979
Shimizu M: *see* Takahashi Y F2389
Shiozaki I: Low-field Hall coefficient of zinc and cadmium F1523
Sholl C A: A reply to 'Correction of the electric field gradient in the theory of quadrupolar relaxation in liquid metals' F161
Shukla R C and Nagi A D S: The ultrasonic attenuation coefficient and the nuclear spin relaxation rate for a magnetically doped superconductor F1765
Shukla R C and Taylor R: Calculation of the phonon-limited ideal resistivity of potassium and sodium F531
Sieber G: *see* Wehr G F2133
Siebinger K: *see* Pfeiler W F985
Šimánek E: Specific heat in an inhomogeneous superconducting film F1661
Singh G S, Auluck S and Joshi S K: Anisotropy and temperature dependence of electron–phonon mass enhancement in zinc FL313
Singh K P and West R N: The temperature dependence of positron lifetimes in cadmium FL267
Singh R N: *see* Srivastava P L F1819
Sinnema S G: *see* Drijver J W F2165
Sixtensson P: *see* Myers H P F2023
Slechta J: Relation between the corner and central formulation of the MCPN(CSEM) method FL29
Slechta J: A relation between CPA and CSEM methods F2081
Smith T F and Finlayson T R: Thermal expansion of BCC solid solution alloys in the system Zr–Nb–Mo–Re F709
Springer T: *see* Richter D FL93
Springford M: *see* Randles D L F1827
Srivastava P L and Singh R N: Harmonic model potential for simple metals F1819
Šroubek Z: *see* Žďánský K FL205
Stassis C: *see* Gschneidner Jr K A FL49
Stedman R: Observations on the martensitic transition in sodium F2239
Stedman R, Amilius Z, Pauli R and Sundin O: Phonon spectrum of beryllium at 80 K F157
Stella A L: *see* Marvin A F909
Stewart A M: *see* Nguyên Thân-Trong F1399
Stott M J: *see* Leung C H F1063
Stott M J: *see* Leung C H F1039
Ström-Olsen J O: *see* Ho S F1325
Sugiura J: *see* Fukushima H F1845
Sun F: *see* Day R S FL137
Sun F: *see* Day R S FL299
Sun F, Day R, Cutler P H and King III W F: On a more exact treatment of the conduction electron potential in first principles calculations of lattice dynamics of metals FL1
Sundin O: *see* Stedman R F157
Suzuki T, Hasegawa M and Hirabayashi M: The Fermi surface of the HCP Cu–Ge alloys containing 12–15at% Ge studied by positron annihilation F779
Swan D E: *see* Colley M G F131
Swanson M L, Howe L M and Quenneville A F: Irradiation-induced displacement of Ag atoms from lattice sites in an Al–0·2%Mg–0·1%Ag crystal F1629
Swartzendruber L J, Bennett L H and Watson R E: Mössbauer studies of hydrided TiFe FL331
Swiatlo Z: *see* Kaveh M F2233
Swihart J C: *see* Garrett D G F1781

Takahashi Y, Kamiguchi S and Shimizu M: Effects of strain on orbital magnetic and spin paramagnetic susceptibilities in metals F2389
Takamura J: *see* Nakamura F FL11
Tamaki S, Tsuchiya Y, Furusawa A and Okazaki H: Perturbed angular correlation of ^{111}Cd in liquid In–Bi alloys F2009
Tamaki S and Waseda Y: Application of the hard-sphere model to thermodynamic properties of liquid 3d transition metals FL89
Tannous C, Ray D K and Belakhovsky M: Energy bands of LaAg: Applications to magnetic and electronic properties and martensitic transformation F2091
Tari A: Electrical resistivity studies of the magnetic character of Rh–Co alloys F1313
Tatarek R: *see* Boato G FL237
Taylor K N R: *see* Nguyên Thân-Trong F1399
Taylor R: *see* Cohen S S FL271
Taylor R: *see* Cohen S S F337
Taylor R: *see* Shukla R C F531
Taylor R and Glyde H R: Mode Grüniesen parameters in potassium: II F1915
Taylor R H, Harris I R and Gardner W E: The electrical and magnetic properties of off-stoichiometry Gd–Pt Laves phase compounds F1125
Tejedor C and Flores F: The ionic structure and the electronic potential of metal surfaces F1647
Terakura K: A calculation of the electronic structure of an impurity atom of a non-transition element in ferromagnetic iron F1385
Thackray G J and Rickayzen G: The theory of the effect of anisotropic scattering by impurities on the electromagnetic response of superconductors F1679

Young W: Spin susceptibilities in the theory of itinerant-electron antiferromagnetism: II. Two-band incommensurate case F829
Young W H: *see* Leung C H F1039
Žďánský K and Šroubek Z: Hydrogen chemisorption energy on the stepped (111) nickel surface FL205
Zuckermann M J: *see* Chornik B F2419